


Accepted Manuscript

Title: Comparative characterization of two galectins excreted-secreted from intestine-dwelling parasitic and free-living females of the soli-transmitted nematode *Strongyloides*



Authors: Dana Ditgen, Emmanuela M. Anandarajah, Anika Reinhardt, Abuelhassan Elshazly Younis, Susanne Witt, Jan Hansmann, Eva Lorenz, Marisela García-Hernández, Daniela Paclik, Hanns Soblik, Abbas Jolodar, Peter Seeberger, Eva Liebau, Norbert W. Brattig

PII: S0166-6851(18)30071-9
DOI: <https://doi.org/10.1016/j.molbiopara.2018.08.008>
Reference: MOLBIO 11152

To appear in: *Molecular & Biochemical Parasitology*

Received date: 5-4-2018
Revised date: 1-8-2018
Accepted date: 23-8-2018

Please cite this article as: Ditgen D, Anandarajah EM, Reinhardt A, Elshazly Younis A, Witt S, Hansmann J, Lorenz E, García-Hernández M, Paclik D, Soblik H, Jolodar A, Seeberger P, Liebau E, Brattig NW, Comparative characterization of two galectins excreted-secreted from intestine-dwelling parasitic and free-living females of the soli-transmitted nematode *Strongyloides*, *Molecular and amp; Biochemical Parasitology* (2018), <https://doi.org/10.1016/j.molbiopara.2018.08.008>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Comparative characterization of two galectins excreted-secreted from intestine-dwelling parasitic and free-living females of the soli-transmitted nematode *Strongyloides*

Dana Ditgen^{a,b,#}, Emmanuela M. Anandarajah^{a,b,#}, Anika Reinhardt^c, Abuelhassan Elshazly Younis^{a,d}, Susanne Witt^e, Jan Hansmann^f, Eva Lorenz^a, Marisela García-Hernández^{g,a}, Daniela Paclik^h, Hanns Soblik^{a,i}, Abbas Jolodar^j, Peter Seeberger^c, Eva Liebau^b, Norbert W. Brattig^{a,*}

^a Infectious Disease Epidemiology Department, Bernhard Nocht Institute for Tropical Medicine
Bernhard-Nocht-Strasse 74, 20359 Hamburg, Germany

^b Department of Molecular Physiology, University of Muenster, Schlossplatz 8, 48143
Münster, Germany

^c Department of Biomolecular Systems, Max Planck Institute of Colloids and Interfaces,
Potsdam, Germany; Institute of Chemistry and Biochemistry, Freie Universität
Berlin, Berlin, Germany

^d Zoology Department, Faculty of Science, Aswan University, Aswan, Egypt

^e Cellular Parasitology Department, Bernhard Nocht Institute for Tropical Medicine, Hamburg

^f Translational Center Regenerative Therapies, Fraunhofer Institute for Silicate Research ISC,
Department Tissue Engineering and Regenerative Medicine, University Hospital Wuerzburg,
Wuerzburg, Germany

^g Department of Biochemistry and Molecular Medicine, School of Medicine, Universidad
Autónoma de Nuevo León (UANL), Monterrey, Mexico

^h Medical Department, Division of Hepatology and Gastroenterology, Charité Campus
Virchow Klinikum, Berlin, Germany

ⁱ GALENpharma GmbH, 24109 Kiel, Germany

^j School of Veterinary Medicine, Shahid Chamran University of Ahvaz, IR Iran

Dana Ditgen and Emmanuela M. Anandarajah contributed equally to this work

* to whom correspondence should be addressed

Abbreviations: AA, amino acids; CRD, carbohydrate recognition domain; EGF, epidermal growth factor; ESP, excretory/secretory products; IL, interleukin; LPS, lipopolysaccharide, MFI, mean fluorescence intensities; MNC, mononuclear cells; PMN, polymorphonuclear cells; TNF- α , tumor necrosis factor- α ; TSLP, thymic stromal lymphopoietin

Download English Version:

<https://daneshyari.com/en/article/10137928>

Download Persian Version:

<https://daneshyari.com/article/10137928>

[Daneshyari.com](https://daneshyari.com)