Accepted Manuscript

An fMRI study of theory of mind in individuals with first episode psychosis

Cali F. Bartholomeusz, Eleni P. Ganella, Sarah Whittle, Kelly Allott, Andrew Thompson, Ahmad Abu-Akel, Henrik Walter, Patrick McGorry, Eoin Killackey, Christos Pantelis, Stephen J. Wood

 PII:
 S0925-4927(18)30083-0

 DOI:
 https://doi.org/10.1016/j.pscychresns.2018.08.011


 Reference:
 PSYN 10854

To appear in: Psychiatry Research: Neuroimaging

Received date:14 March 2018Revised date:16 August 2018Accepted date:16 August 2018

Please cite this article as: Cali F. Bartholomeusz, Eleni P. Ganella, Sarah Whittle, Andrew Thompson, Ahmad Abu-Akel . Henrik Walter. Kellv Allott. Patrick McGorry, Eoin Killackey, Christos Pantelis, Stephen J. Wood, An fMRI study of theory of mind in individuals with first episode psychosis, Psychiatry Research: Neuroimaging (2018), doi: https://doi.org/10.1016/j.pscychresns.2018.08.011

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Highlights

- The social brain is dysfunctional in young people with first episode psychosis.
- Temporoparietal hypoactivation in FEP was negatively correlated with symptomatology.
- Aberrant activation was not associated with global social and occupational functioning.
- Young people with FEP may benefit from interventions that target theory of mind.

Download English Version:

https://daneshyari.com/en/article/10150807

Download Persian Version:

https://daneshyari.com/article/10150807

Daneshyari.com