

Accepted Manuscript

Generating amorphous target margins in radiation therapy to promote maximal target coverage with minimal target size

Adam D. Yock Ph.D.

PII: S0169-2607(18)30385-7
DOI: <https://doi.org/10.1016/j.cmpb.2018.09.003>
Reference: COMM 4782



To appear in: *Computer Methods and Programs in Biomedicine*

Received date: 20 March 2018
Revised date: 9 August 2018
Accepted date: 4 September 2018

Please cite this article as: Adam D. Yock Ph.D. , Generating amorphous target margins in radiation therapy to promote maximal target coverage with minimal target size, *Computer Methods and Programs in Biomedicine* (2018), doi: <https://doi.org/10.1016/j.cmpb.2018.09.003>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Generating amorphous target margins in radiation therapy
to promote maximal target coverage with minimal target size

Adam D. Yock, Ph.D.

Department of Radiation Oncology
Vanderbilt University Medical Center
Nashville, TN 37232
(615) 875-8650
adam.d.yock@vanderbilt.edu

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/10151333>

Download Persian Version:

<https://daneshyari.com/article/10151333>

[Daneshyari.com](https://daneshyari.com)