

Accepted Manuscript

Title: Ultrasonographic foetometry and maternal serum progesterone concentrations during pregnancy in Turkish Saanen goats

Authors: Ebubekir Yazici, Erhan Ozenc, Hacı Ahmet Celik, Mehmet Ucar



PII: S0378-4320(18)30075-7
DOI: <https://doi.org/10.1016/j.anireprosci.2018.08.017>
Reference: ANIREP 5919

To appear in: *Animal Reproduction Science*

Received date: 24-1-2018
Revised date: 8-7-2018
Accepted date: 15-8-2018

Please cite this article as: Yazici E, Ozenc E, Celik HA, Ucar M, Ultrasonographic foetometry and maternal serum progesterone concentrations during pregnancy in Turkish Saanen goats, *Animal Reproduction Science* (2018), <https://doi.org/10.1016/j.anireprosci.2018.08.017>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Ultrasonographic foetometry and maternal serum progesterone concentrations
during pregnancy in Turkish Saanen goats**

Ebubekir Yazici, Erhan Ozenc, Hacı Ahmet Celik, Mehmet Ucar

*Department of Obstetrics and Gynaecology, Faculty of Veterinary Medicine, Afyon Kocatepe
University, 03200 Afyonkarahisar, Turkey*

E-mail address of the

Ebubekir YAZICI, **PhD**, E-mail: ebuvet@hotmail.com

Erhan OZENC, **PhD**, E-mail: erhanankara@hotmail.com

Hacı Ahmet CELİK, **Professor**, E-mail: haciahmetcelik@gmail.com

Mehmet UCAR, **Professor**, E-mail: mmucar@hotmail.com

Address for correspondence: Dr. Ebubekir Yazici, Department of Obstetrics and Gynaecology, Faculty of Veterinary Medicine, Afyon Kocatepe University, 03200, Afyonkarahisar, Turkey; Phone: +90 272 2281312; Mobile phone: +90 553 3969629; E-mail: ebuvet@hotmail.com

Highlights

- Gestational age can be estimated using ultrasonography in Turkish Saanen goats.
- Litter size can be determined in pregnancy based on progesterone concentrations.
- Progesterone levels are negatively correlated with the birth weights of the kids.

Download English Version:

<https://daneshyari.com/en/article/10157351>

Download Persian Version:

<https://daneshyari.com/article/10157351>

[Daneshyari.com](https://daneshyari.com)