


Accepted Manuscript

Title: Baclofen intoxication cases in an intensive care unit

Author: Yannick Charifou Olivier Martinet Julien Jabot
Bernard-Alex Gauzere Jérôme Allyn David Vandroux



PII: S2352-5568(15)00148-4
DOI: <http://dx.doi.org/doi:10.1016/j.accpm.2015.10.003>
Reference: ACCPM 92

To appear in:

Received date: 23-9-2015
Revised date: 5-10-2015
Accepted date: 9-10-2015

Please cite this article as: Yannick CharifouOlivier MartinetJulien JabotBernard-Alex GauzereJérôme AllynDavid Vandroux Baclofen intoxication cases in an intensive care unit (2015), <http://dx.doi.org/10.1016/j.accpm.2015.10.003>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Baclofen intoxication cases in an intensive care unit

Yannick CHARIFOU², Olivier MARTINET¹, Julien JABOT¹, Bernard-Alex GAUZERE¹, Jérôme ALLYN¹, David VANDROUX¹

1. Réanimation Polyvalente, CHU La Réunion, Hôpital Félix Guyon. Allée des Topazes. CS11021. 97400 Saint Denis de La Réunion (France).

2. Service des Urgences. CHU La Réunion, Hôpital Félix Guyon. Allée des Topazes. CS11021. 97400 Saint Denis de La Réunion (France).

Corresponding Author: David VANDROUX, Service de Réanimation Polyvalente, Centre Hospitalier Universitaire de La Réunion, Site Félix Guyon, Allée des Topazes, CS 11021, 97400 Saint-Denis, Réunion, France
david.vandroux@chu-reunion.fr

Keywords: overdose, baclofen, alcohol, Reunion Island
Conflicts of interest and funding: none

In France, baclofen has recently been authorized for its effectiveness in treating symptoms of alcohol withdrawal syndrome. As a result, the number of reports on baclofen intoxication has increased in recent years. This is a retrospective review of the medical records (clinical characteristics, management and outcome) of eight patients (5 males, 3 females, median [Q1-Q3] age: 41 [38-48] years), admitted for baclofen intoxication in our ICU from June 2013 to February 2015.

One patient was admitted for an overdose secondary to renal failure, others were admitted for self-poisoning suicide attempts. Six patients had co-ingested others toxic substances (Table 1). The mean supposed ingested dose of baclofen was 250 [170-525] mg. Upon admission, the median

Download English Version:

<https://daneshyari.com/en/article/10163642>

Download Persian Version:

<https://daneshyari.com/article/10163642>

[Daneshyari.com](https://daneshyari.com)