

# Accepted Manuscript

Single-Injection Adductor Canal Block with Multiple Adjuvants Provides Equivalent Analgesia When Compared to Continuous Adductor Canal Blockade for Primary Total Knee Arthroplasty: A Double-blinded, Randomized, Controlled, Equivalency Trial

James D. Turner, MD, Sean W. Dobson, MD, PhD, Daryl S. Henshaw, MD, Christopher J. Edwards, MD, Robert S. Weller, MD, J. Wells Reynolds, MD, Gregory B. Russell, MS, J. Douglas Jaffe, DO

PII: S0883-5403(18)30510-2

DOI: [10.1016/j.arth.2018.05.026](https://doi.org/10.1016/j.arth.2018.05.026)

Reference: YARTH 56637

To appear in: *The Journal of Arthroplasty*


Received Date: 12 April 2018

Revised Date: 17 May 2018

Accepted Date: 17 May 2018

Please cite this article as: Turner JD, Dobson SW, Henshaw DS, Edwards CJ, Weller RS, Reynolds JW, Russell GB, Jaffe JD, Single-Injection Adductor Canal Block with Multiple Adjuvants Provides Equivalent Analgesia When Compared to Continuous Adductor Canal Blockade for Primary Total Knee Arthroplasty: A Double-blinded, Randomized, Controlled, Equivalency Trial, *The Journal of Arthroplasty* (2018), doi: 10.1016/j.arth.2018.05.026.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**Single-Injection Adductor Canal Block with Multiple Adjuvants Provides Equivalent Analgesia When Compared to Continuous Adductor Canal Blockade for Primary Total Knee Arthroplasty: A Double-blinded, Randomized, Controlled, Equivalency Trial**

James D. Turner, MD<sup>a</sup>, Sean W. Dobson MD, PhD<sup>a</sup>, Daryl S. Henshaw, MD<sup>a</sup>, Christopher J. Edwards, MD<sup>a</sup>, Robert S. Weller, MD<sup>a</sup>, J. Wells Reynolds, MD<sup>a</sup>, Gregory B. Russell, MS<sup>b</sup>, J. Douglas Jaffe, DO<sup>a</sup>

From the Departments of Anesthesiology<sup>a</sup> and Biostatistical Sciences<sup>b</sup> (Division of Public Health Sciences), Wake Forest School of Medicine, Winston-Salem, North Carolina, 27157 USA

**Corresponding Author:**

James D. Turner, MD

Department of Anesthesiology

Wake Forest School of Medicine

Medical Center Boulevard

Winston-Salem, NC 27157-1009

(ph) +1-336-716-4498

(f) +1-336-716-8190

[jturner@wakehealth.edu](mailto:jturner@wakehealth.edu)

This research did not receive any specific grant from funding agencies in the public, commercial, or not-for-profit sectors.

Download English Version:

<https://daneshyari.com/en/article/10221300>

Download Persian Version:

<https://daneshyari.com/article/10221300>

[Daneshyari.com](https://daneshyari.com)