

## Accepted Manuscript

A randomized trial of low-dose gabapentin for post hospitalization relapse prevention in a Thai clinical sample of alcohol dependence

Pattarin Chompookham , Warangkana Rukngan ,  
Sumnao Nilaban , Somporn Suwanmajo , Phimpa Yoosom ,  
Rasmon Kalayasiri

PII: S0165-1781(17)32230-8  
DOI: <https://doi.org/10.1016/j.psychres.2018.09.002>  
Reference: PSY 11716



To appear in: *Psychiatry Research*

Received date: 5 December 2017  
Revised date: 30 August 2018  
Accepted date: 3 September 2018

Please cite this article as: Pattarin Chompookham , Warangkana Rukngan , Sumnao Nilaban , Somporn Suwanmajo , Phimpa Yoosom , Rasmon Kalayasiri , A randomized trial of low-dose gabapentin for post hospitalization relapse prevention in a Thai clinical sample of alcohol dependence, *Psychiatry Research* (2018), doi: <https://doi.org/10.1016/j.psychres.2018.09.002>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## Highlights

- Pharmacological treatments for alcohol use disorder show a modest effect, and they are unavailable in certain countries.
- Effects of gabapentin on alcohol drinking in a Thai alcohol-dependent population were explored.
- Individuals in the gabapentin group showed a lower frequency of drinking and heavy-drinking days per week than those in the placebo group.

Download English Version:

<https://daneshyari.com/en/article/10225492>

Download Persian Version:

<https://daneshyari.com/article/10225492>

[Daneshyari.com](https://daneshyari.com)