Accepted Manuscript

The model of feature extraction for free-form surface based on topological transformation

Tao Kong, Yucun Zhang, Xianbin Fu

 PII:
 S0307-904X(18)30352-4

 DOI:
 https://doi.org/10.1016/j.apm.2018.07.036

 Reference:
 APM 12389


To appear in:

Applied Mathematical Modelling

Received date:16 December 2017Revised date:13 July 2018Accepted date:24 July 2018

Please cite this article as: Tao Kong, Yucun Zhang, Xianbin Fu, The model of feature extraction for free-form surface based on topological transformation, *Applied Mathematical Modelling* (2018), doi: https://doi.org/10.1016/j.apm.2018.07.036

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Highlights

- 1. A topology-based rigid spherical quadrilateral mesh method is proposed in this paper.
- 2. The nondifferentiable problem of free-form surface is solved based on topological transformation.
- 3. The model of feature extraction for free-form surface based on topological transformation is built.
- 4. The tangent bundle of smooth free-form surface manifold is analyzed.

Download English Version:

https://daneshyari.com/en/article/11007222

Download Persian Version:

https://daneshyari.com/article/11007222

Daneshyari.com