


Accepted Manuscript

Preparation of high porosity bricks by utilizing red mud and mine tailing

Youngjae Kim, Youngmin Lee, Minseuk Kim, Hyunsik Park



PII: S0959-6526(18)33058-0
DOI: 10.1016/j.jclepro.2018.10.044
Reference: JCLP 14446
To appear in: *Journal of Cleaner Production*
Received Date: 01 June 2018
Accepted Date: 05 October 2018

Please cite this article as: Youngjae Kim, Youngmin Lee, Minseuk Kim, Hyunsik Park, Preparation of high porosity bricks by utilizing red mud and mine tailing, *Journal of Cleaner Production* (2018), doi: 10.1016/j.jclepro.2018.10.044

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Preparation of high porosity bricks by utilizing red mud and mine tailingYoungjae Kim ^a, Youngmin Lee ^b, Minseuk Kim ^a, Hyunsik Park ^{a,*}

^a Mineral Resource Research Division, Korea Institute of Geoscience and Mineral Resources (KIGAM), Daejeon 34132, Republic of Korea

^b Geologic Environment Division, Korea Institute of Geoscience and Mineral Resources (KIGAM), Daejeon 34132, Republic of Korea

*Corresponding Author. Tel./Fax: +82-42-868-3615

E-mail Address: hyunsik.park@kigam.re.kr (H. S. Park)

Download English Version:

<https://daneshyari.com/en/article/11011099>

Download Persian Version:

<https://daneshyari.com/article/11011099>

[Daneshyari.com](https://daneshyari.com)