Author's Accepted Manuscript



www.elsevier.com/locate/ymben

Sugar phosphate analysis with baseline separation and soft ionization by gas chromatography-negative chemical ionization-mass spectrometry improves flux estimation of bidirectional reactions in cancer cells

Nobuyuki Okahashi, Kousuke Maeda, Shuichi Kawana, Junko Iida, Hiroshi Shimizu, Fumio Matsuda

PII: S1096-7176(18)30179-4
DOI: https://doi.org/10.1016/j.ymben.2018.08.011
Reference: YMBEN1459

To appear in: *Metabolic Engineering*

Received date: 3 May 2018
Revised date: 31 July 2018
Accepted date: 29 August 2018

Cite this article as: Nobuyuki Okahashi, Kousuke Maeda, Shuichi Kawana, Junko Iida, Hiroshi Shimizu and Fumio Matsuda, Sugar phosphate analysis with baseline separation and soft ionization by gas chromatography-negative chemical ionization-mass spectrometry improves flux estimation of bidirectional reactions in cancer cells, *Metabolic Engineering,* https://doi.org/10.1016/j.ymben.2018.08.011

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Sugar phosphate analysis with baseline separation and soft ionization by gas chromatography-negative chemical ionization-mass spectrometry improves flux estimation of bidirectional reactions in cancer cells

Nobuyuki Okahashi[1], Kousuke Maeda[1], Shuichi Kawana[2], Junko Iida[2,3], Hiroshi Shimizu[1], Fumio Matsuda[1*]

[1]Department of Bioinformatic Engineering, Graduate School of Information Science and Technology, Osaka University, 1-5 Yamadaoka, Suita, Osaka, Japan

[2]Analytical and Measuring Instruments Division, Shimadzu Corporation, 1 Nishinokyo Kuwabara-cho, Nakagyo-ku, Kyoto, Japan

[3]Osaka University Shimadzu Analytical Innovation Research Laboratory, Graduate School of Engineering, Osaka University, 2-1 Yamadaoka, Suita, Osaka, Japan

n-okahashi@ist.osaka-u.ac.jp

kousuke_maeda@ist.osaka-u.ac.jp

s_kawana@shimadzu.co.jp

ji@shimadzu.co.jp

shimizu@ist.osaka-u.ac.jp

fmatsuda@ist.osaka-u.ac.jp

[*]**Corresponding author:** Department of Bioinformatic Engineering, Graduate School of Information Science and Technology, Osaka University, 1-5 Yamadaoka, Suita, Osaka 565-0871, Japan; Tel: +81-6-6879-7446; fax: +81-6-6879-4359, fmatsuda@ist.osaka-u.ac.jp

Accepted manuscript

Download English Version:

https://daneshyari.com/en/article/11021616

Download Persian Version:

https://daneshyari.com/article/11021616

Daneshyari.com