Accepted Manuscript

Prevalence of depression among type 2 diabetes mellitus patients in India: A meta-analysis

Salman Hussain, Anwar Habib, Ambrish Singh, Mohd Akhtar, Abul Kalam Najmi

 PII:
 S0165-1781(18)30688-7

 DOI:
 https://doi.org/10.1016/j.psychres.2018.09.037

 Reference:
 PSY 11751



To appear in: *Psychiatry Research*

Received date:	14 April 2018
Revised date:	10 September 2018
Accepted date:	17 September 2018

Please cite this article as: Salman Hussain, Anwar Habib, Ambrish Singh, Mohd Akhtar, Abul Kalam Najmi, Prevalence of depression among type 2 diabetes mellitus patients in India: A meta-analysis, *Psychiatry Research* (2018), doi: https://doi.org/10.1016/j.psychres.2018.09.037

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- High prevalence of depression was found in Indian T2DM patients.
- T2DM patients with co-morbid depression have higher odds of developing complications.
- The diabetes management programs in India may consider early screening of depression.

Download English Version:

https://daneshyari.com/en/article/11024086

Download Persian Version:

https://daneshyari.com/article/11024086

Daneshyari.com