Accepted Manuscript

Title: Environmental Exposure of Humans to Bromide in the Dead Sea Area: Measurement of Genotoxicy and Apoptosis Biomarkers



Authors: Shreen Deeb Nusair, Mohammad Jamil Almasaleekh, Hasan Abder-rahman, Mohammad Alkhatatbeh

PII:	\$1383-5718(18)30133-5
DOI:	https://doi.org/10.1016/j.mrgentox.2018.09.006
Reference:	MUTGEN 402968
To appear in:	Mutation Research
Received date:	18-4-2018
Revised date:	19-9-2018
Accepted date:	21-9-2018

Please cite this article as: Nusair SD, Almasaleekh MJ, Abder-rahman H, Alkhatatbeh M, Environmental Exposure of Humans to Bromide in the Dead Sea Area: Measurement of Genotoxicy and Apoptosis Biomarkers, *Mutation Research - Genetic Toxicology and Environmental Mutagenesis* (2018), https://doi.org/10.1016/j.mrgentox.2018.09.006

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Environmental Exposure of Humans to Bromide in the Dead Sea Area: Measurement of Genotoxicy and Apoptosis Biomarkers

Shreen Deeb Nusair ^{1,*}, Mohammad Jamil Almasaleekh ², Hasan Abder-rahman ³, Mohammad Alkhatatbeh ¹

¹ Department of Clinical Pharmacy, Faculty of Pharmacy, Jordan University of Science and Technology, P.O. Box 3030, Irbid 22110, Jordan

² Department of Legal Medicine, Toxicology and Forensic Science, Faculty of Medicine, Jordan University of Science and Technology, Irbid 22110, Jordan

³ Department of Pathology and Microbiology and Forensic Medicine, University of Jordan, Amman 11942, Jordan

* Corresponding author: Tel.: + 962 (0) 2 7201000, ext. 26173; Fax: + 962 (0) 2 7095123; E-mail address: sdnusair@just.edu.jo

Highlight

- Residing near a bromide releasing source is increasing the bromide body burden.
- Serum bromide is significantly associated to DNA damage in peripheral leukocytes.
- No significant impact of sex on the levels of serum bromide and DNA damage.
- High Bromide body burden induces genotoxic impact with no consequential cytotoxic effect.

Download English Version:

https://daneshyari.com/en/article/11025921

Download Persian Version:

https://daneshyari.com/article/11025921

Daneshyari.com