


Accepted Manuscript

Two-phase hollow fiber liquid-phase microextraction

Ali Esrafil, Mahroo Baharfar, Mohammad Tajik, Yadollah Yamini, Mahnaz Ghambarian



PII: S0165-9936(18)30424-2

DOI: [10.1016/j.trac.2018.09.015](https://doi.org/10.1016/j.trac.2018.09.015)

Reference: TRAC 15251

To appear in: *Trends in Analytical Chemistry*

Received Date: 17 August 2018

Revised Date: 17 September 2018

Accepted Date: 17 September 2018

Please cite this article as: A. Esrafil, M. Baharfar, M. Tajik, Y. Yamini, M. Ghambarian, Two-phase hollow fiber liquid-phase microextraction, *Trends in Analytical Chemistry* (2018), doi: <https://doi.org/10.1016/j.trac.2018.09.015>.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Two-phase hollow fiber liquid-phase microextraction

Ali Esrafil^{a,1}, Mahroo Baharfar^b, Mohammad Tajik^b, Yadollah Yamini^b, Mahnaz
Ghambarian^c

^a *Department of Environmental Health Engineering, School of Public Health, Iran University of Medical Sciences, Tehran,
Iran*

^b *Department of Chemistry, Tarbiat Modares University, Tehran, Iran*

^c *Iranian Research and Development Center for Chemical Industries, ACECR, Tehran, Iran*

¹ *Corresponding author.*

E-mail address: a_esrafil@yahoo.com (A. Esrafil).

Download English Version:

<https://daneshyari.com/en/article/11027323>

Download Persian Version:

<https://daneshyari.com/article/11027323>

[Daneshyari.com](https://daneshyari.com)