

Accepted Manuscript

Effect of the solvent composition on the profile of phenolic compounds extracted from chia seeds

Maristela Alves Alcântara, Isabelle de Lima Brito Polari, Bruno Raniere Lins de Albuquerque Meireles, Anderson Eduardo Alcântara de Lima, Jayme Cesar da Silva Junior, Érica de Andrade Vieira, Nataly Albuquerque dos Santos, Angela Maria Tribuzy de Magalhães Cordeiro

PII: S0308-8146(18)31706-0
DOI: <https://doi.org/10.1016/j.foodchem.2018.09.133>
Reference: FOCH 23620

To appear in: *Food Chemistry*

Received Date: 23 April 2018
Revised Date: 28 August 2018
Accepted Date: 22 September 2018

Please cite this article as: Alves Alcântara, M., de Lima Brito Polari, I., Raniere Lins de Albuquerque Meireles, B., Eduardo Alcântara de Lima, A., Cesar da Silva Junior, J., de Andrade Vieira, E., Albuquerque dos Santos, N., Maria Tribuzy de Magalhães Cordeiro, A., Effect of the solvent composition on the profile of phenolic compounds extracted from chia seeds, *Food Chemistry* (2018), doi: <https://doi.org/10.1016/j.foodchem.2018.09.133>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Effect of the solvent composition on the profile of phenolic compounds extracted from chia seeds.

Maristela Alves Alcântara^a, Isabelle de Lima Brito Polari^a, Bruno Raniere Lins de Albuquerque Meireles^a, Anderson Eduardo Alcântara de Lima^b, Jayme Cesar da Silva Junior^c, Érica de Andrade Vieira^a, Nataly Albuquerque dos Santos^{c,d}, Angela Maria Tribuzy de Magalhães Cordeiro^{a,d}

^aGraduation Program in Food Science and Technology, CT, Campus I, Universidade Federal da Paraíba, CEP 58051-900 João Pessoa, Paraíba, Brazil.

^b Graduation Program in Chemistry, CCEN, Campus I, Universidade Federal da Paraíba, CEP 58051-900 João Pessoa, Paraíba, Brazil.

^c Department of Food Technology, CTDR, Campus I, Universidade Federal da Paraíba, CEP 58051-900 João Pessoa, Paraíba, Brazil.

^d UFPB Institute of Paraíba Development, Campus I, Universidade Federal da Paraíba, CEP 58051-900 João Pessoa, Paraíba, Brazil.

Direct inquiries to authors Alcântara M. A. (E-mail: maristelalves@gmail.com).

The authors acknowledge the Brazilian agencies CAPES, by the Ph. D. scholarship, and to MCT and CNPq.

Download English Version:

<https://daneshyari.com/en/article/11027421>

Download Persian Version:

<https://daneshyari.com/article/11027421>

[Daneshyari.com](https://daneshyari.com)