ELSEVIER

Contents lists available at ScienceDirect

## **Acupuncture and Related Therapies**

journal homepage: www.elsevier.com/locate/arthe



# Improvement of radiation-induced xerostomia with acupuncture: A retrospective analysis\*



Kris A. Homb<sup>a</sup>, Hong Wu<sup>a,b,\*</sup>, Sergey Tarima<sup>c</sup>, Dian Wang<sup>d</sup>

- <sup>a</sup> Department of Physical Medicine and Rehabilitation, Medical College of Wisconsin, Milwaukee, WI 53226, USA
- <sup>b</sup> Department of Anesthesiology, Medical College of Wisconsin, Milwaukee, WI 53226, USA
- <sup>c</sup> Institute for Health and Society, Medical College of Wisconsin, Milwaukee, WI 53226, USA
- <sup>d</sup> Department of Radiation Oncology, Medical College of Wisconsin, Milwaukee, WI 53226, USA

#### ARTICLE INFO

#### Article history: Received 16 December 2013 Accepted 18 February 2014

Keywords:
Acupuncture
Head and neck cancer
Radiation therapy
Xerostomia

#### ABSTRACT

Objective: Our previous case study introduced combination acupuncture (manual, auricular and electro-acupuncture) as a treatment for radiation-induced xerostomia. The present retrospective study evaluates the effect of combination acupuncture on the severity of dry mouth and activities of daily living as related to radiation-induced xerostomia.

*Design:* Data was retrospectively collected from twenty-two patients with xerostomia related to radiotherapy for head and neck cancer (HNC). Sixteen patients who met the inclusion and exclusion criteria were analyzed for this report. The intervention was weekly 20 min sessions of combination acupuncture. Upon reaching a plateau in symptom improvement the length in time between treatments was increased as tolerated without return of symptoms. Outcome measures included a self-reported quality of life xerostomia questionnaire completed prior to each acupuncture session and quantitative data from documented Modified Schirmer's tests.

Results: Significant improvement in dry mouth and pain occurred during the initial six weeks of treatment (p < 0.05). During this period, the mean severity of dry mouth and pain decreased by 35% and 50%, respectively (p < 0.001). After six weeks, the improvement in dry mouth and pain symptoms plateaued. This effect was maintained with intermittent acupuncture treatments.

Conclusions: Combination acupuncture significantly decreases the severity of dry mouth and pain with long lasting effects, up to six months (at the end of data collection), in patients with radiation-induced xerostomia

© 2014 Elsevier GmbH. All rights reserved.

#### 1. Introduction

Xerostomia is a well-known side effect in patients who have undergone radiotherapy with or without chemotherapy for head and neck cancer (HNC) [1]. Radiation-induced fibrosis and/or scarring of the salivary glands causes decreased salivary secretion [2]. Xerostomia may result in significant morbidity with impairments in speaking, eating, and swallowing, decreased sense of taste, and increased risk of dental caries [3,4]. Despite advancements of dose-delivering technologies such as intensity-modulated radiotherapy (IMRT) to protect a portion of parotid glands from high-dose radi-

E-mail addresses: hongwu@mcw.edu, wu\_128@yahoo.com (H. Wu).

ation, xerostomia continues to be common in patients with HNC after radiation [5–7]. IMRT's use is also limited due to its increased expense, risk of marginal miss, and lack of universal availability [5,6]. Currently, xerostomia is often treated with saliva substitutes and/or cholinergic agonists, such as pilocarpine hydrochloride. These treatments are short acting requiring frequent dosing and in the case of pilocarpine the reported response rate is 31–54% [8]. In addition, HNC patients are often unable to tolerate long-term use of pilocarpine secondary to its associated side effects such as sweating, rhinitis, chills, nausea, urinary frequency, and cardiac arrhythmias [8,9].

Several studies have examined the use of acupuncture on cancer related symptoms including xerostomia with mixed results [10–12]. Furthermore, the techniques used in these studies vary in type of acupuncture, acupuncture points, and number of treatments performed. These studies frequently involved manual and/or auricular acupuncture without the use of electro acupuncture.

 $<sup>\,\,\</sup>dot{}^{\,}$  Research previously presented as a poster at the 2013 American Academy of Physical Medicine and Rehabilitation National Meeting in Washington, DC.

<sup>\*</sup> Corresponding author at: 9200 West Wisconsin Avenue, Milwaukee, WI 53226, USA. Tel.: +1 414 805 7368; fax: +1 414 955 0104.

**Table 1** Demographics characteristics.

Patient	Age	Sex	Cancer	Irradiation (Gy)	Chemo
1	53	M	T3N2b SCC of the right tonsil	70	Yes
2	63	F	T4aN0M0 SCC of the Left Posterior Alveolar Ridge	59.4	No
3	56	M	T1N2aM0 SCC of the left tongue base	70	Yes
4	68	F	T1N0M0 SCC of the right tonsil	66	Yes
5	56	F	T1N2aM0 SCCA left oropharynx (pharyngeal wall)	70	Yes
6	56	M	T2N2bN0 SCC of base of tongue	70	Yes
7	64	M	TxN2M0 SCC in right neck	70	No
8	48	M	T1N1M0 SCC of R base of tongue	66	Yes
9	70	F	Recurrent B cell diffuse lymphoma stage IIA, neck lymph node, received re-irradiation	70	Yes
10	49	M	T2N2bM0 SCC of the oropharynx	70	Yes
11	74	M	SCC of the right tongue	70	Yes
12	46	F	T1N1M0 SCCA left oral tongue	70	No
13	54	M	T1N0M0 SCC of the left tonsil	72	No
14	56	M	T4N2a SCC of the tonsil	70	Yes
15	66	M	T4N1M0 nasopharyngeal carcinoma	66	Yes
16	66	M	T1N1Mx SCC of the right oropharynx	70	Yes

SCC. squamous cell cancer: SCCA, squamous cell cancer antigen.

According to the meridian principle described in traditional Chinese medicine, the mechanism and efficacy of the various acupuncture techniques are different [13]. We hypothesize that combination acupuncture (manual, auricular, and electro acupuncture) provides maximal stimulation to salivary glands in HNC patients treated with radiation. We previously demonstrated the feasibility of combination acupuncture as a treatment for radiation-induced xerostomia [14]. In the present study, we retrospectively reviewed a series of cases and report the effect of combination acupuncture on radiation-induced xerostomia and associated quality of life.

#### 2. Materials and methods

This study was approved by an accredited health sciences' Institutional Review Board. The charts of twenty-two HNC patients with a diagnosis of radiation-induced xerostomia and referred for acupuncture between January 1st 2006 and October 16th 2012 were reviewed. Inclusion criteria, for this study, included adult HNC subjects with radiation-induced xerostomia secondary to parotid radiation, at least three months after the completion of definitive or adjuvant radiation and/or chemotherapy, cancer in a cured or remission status, failure of previous conservative treatments for xerostomia, and between 18 and 90 years of age. Exclusion criteria included those with concurrent use of pilocarpine or a history of Sjogren's syndrome.

Sixteen subjects (11 male and 5 female) met the inclusions and exclusion criteria. Demographic data included age, sex, form of cancer, total dose of radiation, and whether they received chemotherapy (Table 1). All patients received definitive IMRT with more than 50% parotid gland sparing from high dose radiation (30 Gy or more). Subjective data was obtained from documented self-reported xerostomia quality of life questionnaires completed prior to each acupuncture session (Table 2).

Objective data was obtained from documented Modified Schirmer's tests (MST) [15]. All tests were performed by one examiner. The patients were asked to avoid eating, drinking, or sucking on any candy 1 h prior to their appointment. The examiner, using a forceps, placed a test strip (Eagle Vision, Memphis, TN) against the floor of the patient's mouth, over the sublingual salivary gland [15]. The test strip, a 4-cm strip of filter paper impregnated with blue dye at the 0-mm mark and calibrated in 1-mm intervals from 5 to 35 mm along its length, diffused dye up the strip proportionately to the amount of saliva absorbed. The scale was read and documented after 1 and 2 min. If the reading was less than 5 mm it was documented as <5 mm. If the reading was greater than 35 mm it was documented as >35 mm.

Acupuncture was performed by one physician who is certified in Physical Medicine and Rehabilitation and Pain Medicine and trained in acupuncture. Acupuncture sessions were held weekly until patients reached a plateau in symptom improvement. Time between sessions was then extended in one week increments, as long as symptoms did not worsen. Combination acupuncture was performed in the same technique as previously reported [14]. Briefly, the first session included manual and auricular acupuncture; subsequent sessions included manual, auricular, and electro-acupuncture. Treatment points (Fig. 1) included stomach (ST) points 3, 4, 5, 6, and 7; small intestine (SI) points 18 and 19; gallbladder (GB) points 2 and 3; large intestine (LI) points 4 and 11; spleen (SP) point 6; dumai (DU) point 20, renmai (RN) points 23 and 24, and the ear points Shen Men and Point Zero. The acupuncture points used in this study were selected on the basis of the meridian principle described in traditional Chinese medicine [13]. Electrical stimulation was applied to ST 5, 6, and 7 bilaterally. Stimulation was set to an intensity that the patient was able to feel and tolerate. Needles for manual and electro acupuncture remained in place for 15–20 min. Auricular acupuncture needles were left in place for up to three days, and patients were advised to massage these points multiple times daily.

**Table 2**Xerostomia quality of life survey questions used for statistical analysis.

1.	Overall, how severe is your dry mouth?	$1 \rightarrow 10 (1 = less severe, 10 = severe)$
2.	Overall, how severe is your pain?	$1 \rightarrow 10 \ (1 = less severe, 10 = severe)$
3.	How many hours are you able to sleep at night?	1 = never (>7 h), 2 = hardly ever (5–6 h), 3 = occasional (3–4 h), 4 = fairly often (2 h), 5 = very often (1 h or less)
4.	Do you have difficulties swallowing any foods?	1 = never, 2 = hardly ever, 3 = occasional, 4 = fairly often, 5 = very often
5.	Does your mouth feel dry when eating a meal?	1 = never, 2 = hardly ever, 3 = occasional, 4 = fairly often, 5 = very often
6.	Do you feel difficulty in speaking?	1 = never, 2 = hardly ever, 3 = occasional, 4 = fairly often, 5 = very often

Pain is in reference to facial and throat pain.

### Download English Version:

# https://daneshyari.com/en/article/2616305

Download Persian Version:

https://daneshyari.com/article/2616305

<u>Daneshyari.com</u>