

# Accepted Manuscript

Parkin absence accelerates microtubule aging in dopaminergic neurons

D. Cartelli, A. Amadeo, A.M. Calogero, F.V.M. Casagrande, C. De Gregorio, M. Gioria, N. Kuzumaki, I. Costa, J. Sassone, A. Ciammola, N. Hattori, H. Okano, S. Goldwurm, L. Roybon, G. Pezzoli, G. Cappelletti



PII: S0197-4580(17)30303-2

DOI: [10.1016/j.neurobiolaging.2017.09.010](https://doi.org/10.1016/j.neurobiolaging.2017.09.010)

Reference: NBA 10030

To appear in: *Neurobiology of Aging*

Received Date: 26 April 2017

Revised Date: 24 August 2017

Accepted Date: 8 September 2017

Please cite this article as: Cartelli, D., Amadeo, A., Calogero, A.M., Casagrande, F.V.M., De Gregorio, C., Gioria, M., Kuzumaki, N., Costa, I., Sassone, J., Ciammola, A., Hattori, N., Okano, H., Goldwurm, S., Roybon, L., Pezzoli, G., Cappelletti, G., Parkin absence accelerates microtubule aging in dopaminergic neurons, *Neurobiology of Aging* (2017), doi: 10.1016/j.neurobiolaging.2017.09.010.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

# Parkin absence accelerates microtubule aging in dopaminergic neurons

Cartelli D.<sup>a,\*§</sup>, Amadeo A.<sup>a,\*</sup>, Calogero A.M.<sup>a,\*</sup>, Casagrande F.V.M.<sup>a</sup>, De Gregorio C.<sup>a</sup>, Gioria M.<sup>a</sup>, Kuzumaki N.<sup>b,°</sup>, Costa I.<sup>a</sup>, Sassone J.<sup>c</sup>, Ciammola A.<sup>d</sup>, Hattori N.<sup>e</sup>, Okano H.<sup>b</sup>, Goldwurm S.<sup>f</sup>, Roybon L.<sup>g</sup>, Pezzoli G.<sup>f</sup>, Cappelletti G.<sup>a,h,§</sup>

<sup>a</sup> Department of Biosciences, Università degli Studi di Milano, Milano, 20133, Italy;

<sup>b</sup> Department of Physiology, Keio University School of Medicine, Tokyo, 160-8582, Japan;

<sup>c</sup> San Raffaele Scientific Institute and Vita-Salute University, Milano, 20100, Italy;

<sup>d</sup> Department of Neurology and Laboratory of Neuroscience, IRCCS Istituto Auxologico Italiano, Cusano Milanino (MI), 20095, Italy;

<sup>e</sup> Department of Neurology, Juntendo University School of Medicine, Tokyo, 113-8421, Japan;

<sup>f</sup> Parkinson Institute, ASST G.Pini-CTO, ex ICP, Milano, 20126, Italy

<sup>g</sup> Stem Cell laboratory for CNS Disease Modeling, Wallenberg Neuroscience Center, Department of Experimental Medical Science, Lund University, BMC A10, 22184, Lund, Sweden; Strategic Research Area MultiPark and Lund Stem Cell Center, Lund University, 22184, Lund, Sweden;

<sup>h</sup> Center of Excellence of Neurodegenerative Diseases, Università degli Studi di Milano, Milano, 20133, Italy

<sup>°</sup> present address: Department of Pharmacology, Hoshi University, Pharmacy and Pharmaceutical Sciences, Tokyo, 142-8501 Japan;

\* These authors contributed equally to the work

§ To whom correspondence should be addressed: Graziella Cappelletti, Department of Biosciences, Università degli Studi di Milano, Via Celoria 26, Milano, 20133, Italy. Tel: +39 0250314752; Fax: +39 0250315044; Email: [graziella.cappelletti@unimi.it](mailto:graziella.cappelletti@unimi.it); Daniele Cartelli, Department of Biosciences, Università degli Studi di Milano, Via Celoria 26, Milano, 20133, Italy. Tel: +39 3334920793; Email: [daniele.cartelli@gmail.com](mailto:daniele.cartelli@gmail.com)

Download English Version:

<https://daneshyari.com/en/article/4932518>

Download Persian Version:

<https://daneshyari.com/article/4932518>

[Daneshyari.com](https://daneshyari.com)