## **Accepted Manuscript**

Scaled Consensus of Multi-Agent Systems with Output Saturation

Qingling Wang

PII: S0016-0032(17)30332-0

DOI: 10.1016/j.jfranklin.2017.07.018

Reference: FI 3057

To appear in: Journal of the Franklin Institute

Received date: 2 October 2016 Revised date: 24 May 2017 Accepted date: 2 July 2017



Please cite this article as: Qingling Wang, Scaled Consensus of Multi-Agent Systems with Output Saturation, *Journal of the Franklin Institute* (2017), doi: 10.1016/j.jfranklin.2017.07.018

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

#### ACCEPTED MANUSCRIPT

### Highlights

- A necessary and sufficient condition for achieving scaled consensus of multiagent systems with output saturation is first provided under the undirected graph or the strongly connected graph.
- we extend the existing results of the scaled consensus to the more practical scenario with output saturation.

#### Download English Version:

# https://daneshyari.com/en/article/4974099

Download Persian Version:

https://daneshyari.com/article/4974099

<u>Daneshyari.com</u>