

## Accepted Manuscript

Experimental study on downward flame spread characteristics under the influence of parallel curtain wall

Weiguang An, Rongliang Pan, Qingxuan Meng, Hongya Zhu

PII: S1359-4311(17)32935-6  
DOI: <http://dx.doi.org/10.1016/j.applthermaleng.2017.08.174>  
Reference: ATE 11057

To appear in: *Applied Thermal Engineering*

Received Date: 3 May 2017  
Revised Date: 30 August 2017  
Accepted Date: 31 August 2017

Please cite this article as: W. An, R. Pan, Q. Meng, H. Zhu, Experimental study on downward flame spread characteristics under the influence of parallel curtain wall, *Applied Thermal Engineering* (2017), doi: <http://dx.doi.org/10.1016/j.applthermaleng.2017.08.174>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**Experimental study on downward flame spread characteristics under  
the influence of parallel curtain wall**

Weiguang An<sup>1,2\*</sup>, Rongliang Pan<sup>1</sup>, Qingxuan Meng<sup>1</sup>, Hongya Zhu<sup>2†</sup>,

<sup>1</sup> Key Laboratory of Gas and Fire Control for Coal Mines, School of Safety  
Engineering, China University of Mining and Technology, Xuzhou, Jiangsu, 221008,

PR China

<sup>2</sup> Key Laboratory of Building Fire Protection Engineering and Technology of MPS,

Tianjin, 300381, PR China

---

\* Corresponding author. Tel.: +86 15895201749. E-mail address: weiguang@cumt.edu.cn.

† Corresponding author. Tel.: +86 18202201771. E-mail address: zhuhongya@tfri.com.cn.

Download English Version:

<https://daneshyari.com/en/article/4990821>

Download Persian Version:

<https://daneshyari.com/article/4990821>

[Daneshyari.com](https://daneshyari.com)