

Accepted Manuscript

Title: DISPERSIVE OPTICAL SOLITONS WITH DWDM TECHNOLOGY BY EXTENDED TRIAL EQUATION SCHEME

Author: Abdullah Sonmezoglu Mehmet Ekici Ahmed H. Arnous Qin Zhou Seithuti P. Moshokoa Malik Zaka Ullah Anjan Biswas Milivoj Belic



PII: S0030-4026(17)30786-6
DOI: <http://dx.doi.org/doi:10.1016/j.ijleo.2017.06.110>
Reference: IJLEO 59373

To appear in:

Received date: 3-4-2017
Accepted date: 28-6-2017

Please cite this article as: Abdullah Sonmezoglu, Mehmet Ekici, Ahmed H. Arnous, Qin Zhou, Seithuti P. Moshokoa, Malik Zaka Ullah, Anjan Biswas, Milivoj Belic, DISPERSIVE OPTICAL SOLITONS WITH DWDM TECHNOLOGY BY EXTENDED TRIAL EQUATION SCHEME, <![CDATA[Optik - International Journal for Light and Electron Optics]]> (2017), <http://dx.doi.org/10.1016/j.ijleo.2017.06.110>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

DISPERSIVE OPTICAL SOLITONS WITH DWDM TECHNOLOGY BY EXTENDED TRIAL EQUATION SCHEME

Abdullah Sonmezoglu ¹, Mehmet Ekici ¹, Ahmed H. Arnous ² Qin Zhou ³,
Seithuti P. Moshokoa ⁴, Malik Zaka Ullah ⁵, Anjan Biswas ^{4,5} & Milivoj Belic ⁶

¹ Department of Mathematics, Faculty of Science and Arts,
Bozok University, 66100 Yozgat, Turkey

² Department of Engineering Mathematics and Physics,
Higher Institute of Engineering, El-Shorouk, Cairo, Egypt

³ School of Electronics and Information Engineering,
Wuhan Donghu University, Wuhan 430212, People's Republic of China

⁴ Department of Mathematics and Statistics,
Tshwane University of Technology, Pretoria-0008, South Africa

⁵ Operator Theory and Applications Research Group, Department of Mathematics,
Faculty of Science, King Abdulaziz University, PO Box-80203, Jeddah-21589, Saudi Arabia

⁶ Science Program, Texas A & M University at Qatar,
PO Box 23874, Doha, Qatar

Abstract

This paper applied extended trial equation algorithm to obtain dispersive optical solitons in DWDM system that is governed by the Schrödinger-Hirota equation with Kerr law nonlinearity. Bright and singular soliton solutions are reported.

Keywords: solitons; dispersion; DWDM system.

Download English Version:

<https://daneshyari.com/en/article/5025001>

Download Persian Version:

<https://daneshyari.com/article/5025001>

[Daneshyari.com](https://daneshyari.com)