


Accepted Manuscript

Improved methods and calibration technique in gas-phase electron-diffraction experiments: Use of nitrogen as a wavelength standard

Jason W. Sandwisch, Joshua Holmes, Joseph W. Nibler, Kenneth Hedberg



PII: S0022-2860(17)30910-9

DOI: [10.1016/j.molstruc.2017.06.129](https://doi.org/10.1016/j.molstruc.2017.06.129)

Reference: MOLSTR 24015

To appear in: *Journal of Molecular Structure*

Received Date: 17 February 2017




Revised Date: 14 June 2017

Accepted Date: 28 June 2017

Please cite this article as: J.W. Sandwisch, J. Holmes, J.W. Nibler, K. Hedberg, Improved methods and calibration technique in gas-phase electron-diffraction experiments: Use of nitrogen as a wavelength standard, *Journal of Molecular Structure* (2017), doi: 10.1016/j.molstruc.2017.06.129.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

GED film of nitrogen

Epson 10000 XL
transmission scannerscanned film processed
by ImageJ and least
squares programs

Download English Version:

<https://daneshyari.com/en/article/5161063>

Download Persian Version:

<https://daneshyari.com/article/5161063>

[Daneshyari.com](https://daneshyari.com)