

# Accepted Manuscript

Conductive network formation and destruction in polypropylene/carbon nanotube composites via crystal control using supercritical carbon dioxide

Yasamin Kazemi, Adel Ramezani Kakroodi, Sai Wang, Aboutaleb Ameli, Tobin Filleter, Petra Pötschke, Chul B. Park



PII: S0032-3861(17)30928-X

DOI: [10.1016/j.polymer.2017.09.056](https://doi.org/10.1016/j.polymer.2017.09.056)

Reference: JPOL 20025

To appear in: *Polymer*



Received Date: 24 February 2017

Revised Date: 20 September 2017

Accepted Date: 24 September 2017

Please cite this article as: Kazemi Y, Kakroodi AR, Wang S, Ameli A, Filleter T, Pötschke P, Park CB, Conductive network formation and destruction in polypropylene/carbon nanotube composites via crystal control using supercritical carbon dioxide, *Polymer* (2017), doi: 10.1016/j.polymer.2017.09.056.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Isothermal annealing of PP/1.0 wt% CNT composites

Download English Version:

<https://daneshyari.com/en/article/5177668>

Download Persian Version:

<https://daneshyari.com/article/5177668>

[Daneshyari.com](https://daneshyari.com)