

# Accepted Manuscript

Scratch adhesion strength of plasma sprayed carbon nanotube reinforced ceramic coatings

Sudhakar C. Jambagi



PII: S0925-8388(17)33000-1

DOI: [10.1016/j.jallcom.2017.08.262](https://doi.org/10.1016/j.jallcom.2017.08.262)

Reference: JALCOM 43019

To appear in: *Journal of Alloys and Compounds*


Received Date: 3 July 2017

Revised Date: 25 August 2017

Accepted Date: 28 August 2017

Please cite this article as: S.C. Jambagi, Scratch adhesion strength of plasma sprayed carbon nanotube reinforced ceramic coatings, *Journal of Alloys and Compounds* (2017), doi: 10.1016/j.jallcom.2017.08.262.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



2. Rietveld analysis results of crushed Titania or agglomerated alumina coatings

3. Scratch test results

ACCEPTED

Download English Version:

<https://daneshyari.com/en/article/5458123>

Download Persian Version:

<https://daneshyari.com/article/5458123>

[Daneshyari.com](https://daneshyari.com)