Accepted Manuscript

Matheuristic for decentralized factories scheduling problem

J. Behnamian

PII: DOI: Reference:

S0307-904X(17)30129-4 10.1016/j.apm.2017.02.033 APM 11621

To appear in:

Applied Mathematical Modelling

Received date:26 June 2015Revised date:31 January 2017Accepted date:14 February 2017

Please cite this article as: J. Behnamian , Matheuristic for decentralized factories scheduling problem , *Applied Mathematical Modelling* (2017), doi: 10.1016/j.apm.2017.02.033

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Highlights

- This paper considers a distributed production network with parallel factories.
- Jobs can transport from overloaded factory to the factory with fewer workloads.
- Fist, this paper formulated the problem as mixed integer linear programming.
- To minimize makespan, then, a matheuristic was proposed.
- Here, the guiding principles with the ordering of neighborhood structures are used.

A

Download English Version:

https://daneshyari.com/en/article/5471006

Download Persian Version:

https://daneshyari.com/article/5471006

Daneshyari.com