

Author's Accepted Manuscript

Oxidative stress in early cystic fibrosis lung disease is exacerbated by airway glutathione deficiency

Nina Dickerhof, John F Pearson, Teagan S Hoskin, Luke J Berry, Rufus Turner, Peter D Sly, Anthony J Kettle



www.elsevier.com

PII: S0891-5849(17)30781-5
DOI: <https://doi.org/10.1016/j.freeradbiomed.2017.09.028>
Reference: FRB13466

To appear in: *Free Radical Biology and Medicine*

Received date: 24 August 2017
Revised date: 19 September 2017
Accepted date: 28 September 2017

Cite this article as: Nina Dickerhof, John F Pearson, Teagan S Hoskin, Luke J Berry, Rufus Turner, Peter D Sly and Anthony J Kettle, Oxidative stress in early cystic fibrosis lung disease is exacerbated by airway glutathione deficiency, *Free Radical Biology and Medicine*, <https://doi.org/10.1016/j.freeradbiomed.2017.09.028>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Oxidative stress in early cystic fibrosis lung disease is exacerbated by
airway glutathione deficiency[☆]**

**Nina Dickerhof^{1*}, John F Pearson², Teagan S Hoskin¹, Luke J Berry³, Rufus Turner¹,
Peter D Sly⁴, Anthony J Kettle¹ on behalf of AREST CF⁵**

¹*Centre for Free Radical Research, Department of Pathology, University of Otago
Christchurch, Christchurch, New Zealand*

²*Biostatistics and Computational Biology Unit, University of Otago Christchurch,
Christchurch, New Zealand*

³*Telethon Kids Institute, West Perth Western Australia, Australia*

⁴*Child Health Research Centre, University of Queensland, Brisbane, Australia*

⁵*A full list of members of the Australian Respiratory Early Surveillance Team (AREST) for
Cystic Fibrosis is available from www.arestcf.org*

***To whom correspondence should be addressed:** Nina Dickerhof, Centre for Free Radical
Research, University of Otago Christchurch, P.O. Box 4345, Christchurch 8140, New
Zealand, Email: nina.dickerhof@otago.ac.nz

ABSTRACT

Neutrophil-derived myeloperoxidase (MPO) is recognized as a major source of oxidative stress at the airway surface of a cystic fibrosis (CF) lung where, despite limited evidence, the antioxidant glutathione is widely considered to be low. The aims of this study were to

[☆] **“Take home” message** Oxidative stress in CF lungs is associated with bronchiectasis and is exacerbated by glutathione deficiency

Download English Version:

<https://daneshyari.com/en/article/5501621>

Download Persian Version:

<https://daneshyari.com/article/5501621>

[Daneshyari.com](https://daneshyari.com)