

## Author's Accepted Manuscript

Zinc oxide nanoparticle energy band gap reduction triggers the oxidative stress resulting into autophagy-mediated apoptotic cell death

Manoranjan Arakha, Jyoti Roy, Parth Sarthi Nayak, Bibekanand Mallick, Suman Jha



www.elsevier.com

PII: S0891-5849(17)30588-9  
DOI: <http://dx.doi.org/10.1016/j.freeradbiomed.2017.05.015>  
Reference: FRB13342

To appear in: *Free Radical Biology and Medicine*

Received date: 2 January 2017  
Revised date: 19 April 2017  
Accepted date: 17 May 2017

Cite this article as: Manoranjan Arakha, Jyoti Roy, Parth Sarthi Nayak, Bibekanand Mallick and Suman Jha, Zinc oxide nanoparticle energy band gap reduction triggers the oxidative stress resulting into autophagy-mediated apoptotic cell death, *Free Radical Biology and Medicine* <http://dx.doi.org/10.1016/j.freeradbiomed.2017.05.015>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

# Zinc oxide nanoparticle energy band gap reduction triggers the oxidative stress resulting into autophagy-mediated apoptotic cell death

Manoranjan Arakha, Jyoti Roy, Parth Sarthi Nayak, Bibekanand Mallick, Suman Jha\*

Department of Life Science, National Institute of Technology Rourkela, Odisha, 769008, India.

\*Corresponding Address: Dr. Suman Jha, Department of Life Science, National Institute of Technology Rourkela, Odisha, 769008, India. Email ID: jhas@nitrkl.ac.in, Contact N.: +916612462687

## Abstract

The physico-chemical properties of nanoparticle (NP), such as particle size, surface defects, crystallinity and accessible surface, affect NP photocatalytic activity that in turn defines the NP cytotoxic propensity. Since zinc oxide nanoparticle (ZnONP) energy band gap falls in a range of a semiconductor, the particle possesses photocatalytic activity. Hence, the study correlates energy band gap with cytotoxic propensity of ZnONP. To this end, ZnONPs with varying energy band gap are fabricated by varying calcination temperature. Cytotoxic propensity of the fabricated ZnONPs against HT1080 cell indicates that the particle with least energy band gap shows highest cytotoxicity. The data also indicate that the cytotoxicity is triggered primarily through reactive oxygen species (ROS)-mediated pathway. Additionally, the comet assay and  $\gamma$ H2AX activity assay reveal that decreasing energy band gap of the particle increases DNA damaging propensity. Furthermore, cell cycle analysis indicates that the cell treatment with decreasing energy band gap ZnONP results in significant increase in cell population fraction in subG<sub>1</sub> phase. Whereas, acridine orange binding assay and increased expression level of LC3II indicate that the cell tries to recover the stress by scavenging damaged cellular biomolecules and ROS using autophagosomes. Nevertheless,

Download English Version:

<https://daneshyari.com/en/article/5501725>

Download Persian Version:

<https://daneshyari.com/article/5501725>

[Daneshyari.com](https://daneshyari.com)