Accepted Manuscript

Programming Merino lambs by early feed restriction reduces growth rates and increases fat accretion during the fattening period with no effect on meat quality traits

Alba Santos, F. Javier Giráldez, Javier Mateo, Javier Frutos, Sonia Andrés


PII: S0309-1740(17)30781-7

DOI: doi: 10.1016/j.meatsci.2017.08.007

Reference: MESC 7340

To appear in: *Meat Science*

Received date: 17 May 2017 Revised date: 17 August 2017 Accepted date: 18 August 2017



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Programming Merino lambs by early feed restriction reduces growth rates and increases fat accretion during the fattening period with no effect on meat quality traits

Alba Santos, a F. Javier Giráldez, Javier Mateo, b Javier Frutos, a Sonia Andrés a*

^a Instituto de Ganadería de Montaña, CSIC-Universidad de León, Finca Marzanas s/n, 24346, Grulleros, León, Spain

^b Facultad de Veterinaria, Universidad de León, Campus Vegazana s/n, 24071, León, Spain

^{*} Corresponding author: Instituto de Ganadería de Montaña, CSIC-Universidad de León, Finca Marzanas s/n, 24346, Grulleros, León, Spain. E-mail address: sonia.andres@eae.csic.es (S. Andrés).

Download English Version:

https://daneshyari.com/en/article/5543178

Download Persian Version:

https://daneshyari.com/article/5543178

<u>Daneshyari.com</u>