

## Accepted Manuscript

Low-level mechanical vibration improves bone microstructure, mechanical properties and porous titanium implant osseointegration by promoting a major skeletal anabolic response in type 1 diabetic rabbits

Da Jing, Zedong Yan, Jing Cai, Shichao Tong, Xiaokang Li, Zheng Guo, Erping Luo



PII: S8756-3282(17)30359-9  
DOI: doi:[10.1016/j.bone.2017.10.001](https://doi.org/10.1016/j.bone.2017.10.001)  
Reference: BON 11441  
To appear in: *Bone*  
Received date: 21 June 2017  
Revised date: 14 September 2017  
Accepted date: 1 October 2017

Please cite this article as: Da Jing, Zedong Yan, Jing Cai, Shichao Tong, Xiaokang Li, Zheng Guo, Erping Luo , Low-level mechanical vibration improves bone microstructure, mechanical properties and porous titanium implant osseointegration by promoting a major skeletal anabolic response in type 1 diabetic rabbits. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. *Bone*(2017), doi:[10.1016/j.bone.2017.10.001](https://doi.org/10.1016/j.bone.2017.10.001)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Low-level mechanical vibration improves bone microstructure,  
mechanical properties and porous titanium implant  
osseointegration by promoting a major skeletal anabolic response  
in type 1 diabetic rabbits**

**Da Jing<sup>a, b, 1, \*</sup>, Zedong Yan<sup>a, 1</sup>, Jing Cai<sup>c, 1</sup>, Shichao Tong<sup>a</sup>, Xiaokang Li<sup>b</sup>, Zheng Guo<sup>b</sup>,  
and Erping Luo<sup>a, \*</sup>**

- a. Department of Biomedical Engineering, Fourth Military Medical University, Xi'an, China.
- b. Department of Orthopedics, Xijing Hospital, Fourth Military Medical University, Xi'an, China.
- c. College of Basic Medicine, Shaanxi University of Chinese Medicine, Xianyang, China.

<sup>1</sup> These authors contributed equally to this work.

**\*Corresponding author:** Da Jing and Erping Luo, Department of Biomedical Engineering, Fourth Military Medical University, 17 West Changle Road, Xi'an 710032, China.

**Telephone No.:** +86-29-84774849.

**Fax No.:** +86-29-84774849.

**Email:** [jingdaasq@163.com](mailto:jingdaasq@163.com); [luoeping@fmmu.edu.cn](mailto:luoeping@fmmu.edu.cn).

**Disclosure:** All authors state that they have no conflicts of interest.

Download English Version:

<https://daneshyari.com/en/article/5585089>

Download Persian Version:

<https://daneshyari.com/article/5585089>

[Daneshyari.com](https://daneshyari.com)