Index to Subjects*

Ablation; see Catheter ablation

Accuracy of results; see Reproducibility of results

Adipose tissue

Brown adipose tissue blood flow and mass in obesity: a contrast ultrasound study in mice (Clerte et al). 2013;26:1465-73

Adolescence

- Elevated left ventricular outflow tract velocities on exercise stress echocardiography may be a normal physiologic response in healthy youth (Wittlieb-Weber et al). 2013;26:1372-8
- Functional maturation of left and right atrial systolic and diastolic performance in infants, children, and adolescents (Kutty et al). 2013;26:398-409
- Tricuspid annular plane systolic excursion in the assessment of right ventricular function in children and adolescents after repair of tetralogy of Fallot (Mercer-Rosa et al). 2013;26:1322-9

Impact of valvuloarterial impedance on 2-year outcome of patients undergoing transcatheter aortic valve implantation (Katsanos et al). 2013;26:691-8

Effects of aging and body size on proximal and ascending aorta and aortic arch: inner edge-to-inner edge reference values in a large adult population by two-dimensional transthoracic echocardiography (Mirea et al). 2013:26:419-27

American Society of Echocardiography

- American Society of Echocardiography: Remote Echocardiography with Web-based Assessments for Referrals at a Distance (ASE-REWARD) Study (Singh et al). 2013;26:221-33 (Special article)
- American Society of Echocardiography Cardiovascular Technology and Research Summit: a roadmap for 2020 (Pellikka et al). 2013;26:325-38 (ASE report)
- American Society of Echocardiography clinical recommendations for multimodality cardiovascular imaging of patients with pericardial disease: endorsed by the Society for Cardiovascular Magnetic Resonance and Society of Cardiovascular Computed Tomography (Klein et al). 2013;26:965-1012 (ASE expert consensus statement)
- Basic perioperative transesophageal echocardiography examination: a consensus statement of the American Society of Echocardiography and the Society of Cardiovascular Anesthesiologists (Reeves 2013;26:443-56 (ASE consensus statement)
- Expert consensus for multi-modality imaging evaluation of cardiovascular complications of radiotherapy in adults: a report from the European Association of Cardiovascular Imaging and the American Society of Echocardiography (Lancellotti et al). 2013;26:1013-32 (Expert consensus statement). Correction 2013;26:1305
- Focused cardiac ultrasound: recommendations from the American Society of Echocardiography (Spencer et al). 2013;26:567-81 (ASE expert consensus statement)
- Guidelines for performing a comprehensive transesophageal echocardiographic examination: recommendations from the American Society of Echocardiography and the Society of Cardiovascular Anesthesiologists (Hahn et al). 2013;26:921-64 (Guidelines and standards)
- The new black bag, Arrowsmith, and giving (Martin). 2013;26:234-6 (Editorial comment)

Anesthesia

Basic perioperative transesophageal echocardiography examination: a consensus statement of the American Society of Echocardiography and the

Indexes to the Twentieth Annual Scientific Sessions abstracts are located in the May issue.

*January, pp 1-104; February, pp 105-220; March, pp 221-324; April, pp 325-442; May, pp 443-566; June, pp 567-682; July, pp 683-800; August, pp 801-920; September, pp 921-1106; October, pp 1107-1234; November, pp 1235-1364; December, pp 1365-1514.

Volume 26 Number 12

- Society of Cardiovascular Anesthesiologists 2013:26:443-56 (ASE consensus statement)
- Guidelines for performing a comprehensive transesophageal echocardiographic examination: recommendations from the American Society of Echocardiography and the Society of Cardiovascular Anesthesiologists (Hahn et al). 2013;26:921-64 (Guidelines and standards)
- Impact of propofol anesthesia induction on cardiac function in low-risk patients as measured by intraoperative Doppler tissue imaging (Yang et al). 2013:26:727-35

Animal studies

- Brown adipose tissue blood flow and mass in obesity: a contrast ultrasound study in mice (Clerte et al). 2013;26:1465-73
- Comparison of echocardiographic measurements of left ventricular volumes to full volume magnetic resonance imaging in normal and diseased rats (Arias et al). 2013;26:910-8
- Effect of pharmacologic increases in afterload on left ventricular rotation and strain in a rabbit model (Ho et al). 2013;26:674-82
- Longitudinal strain impairment as a marker of the progression of heart failure with preserved ejection fraction in a rat model (Koshizuka et al). 2013;26:316-23
- Septal ablation induced by transthoracic high-intensity focused ultrasound in canines (Rong et al). 2013;26:1228-34

Anoxia

Left ventricular adaptation to acute hypoxia: a speckle-tracking echocardiography study (Dedobbeleer et al). 2013;26:736-45

- Aortic arch vessel disease and rationale for echocardiographic screening (Ruegg et al). 2013;26:114-25 (Review article)
- Doppler flow patterns in the right ventricle-to-pulmonary artery shunt and neo-aorta in infants with single right ventricle anomalies: impact on outcome after initial staged palliations (Frommelt et al). 2013;26:521-9
- Echocardiographic methods, quality review, and measurement accuracy in a randomized multicenter clinical trial of Marfan syndrome (Tierney et al). 2013;26:657-66
- Increased aortic pulse wave velocity as measured by echocardiography is strongly associated with poor prognosis in patients with heart failure (Bonapace et al). 2013;26:714-20
- Patterns of aortic dilatation in bicuspid aortic valve-associated aortopathy (Khoo et al). 2013;26:600-5
- Three-dimensional transesophageal echocardiographic evaluation of coronary involvement in patients with acute type A aortic dissection (Sasaki et al). 2013;26:837-45

Aorta, thoracic

Effects of aging and body size on proximal and ascending aorta and aortic arch: inner edge-to-inner edge reference values in a large adult population by two-dimensional transthoracic echocardiography (Mirea et al). 2013;26:419-27

Aortic coarctation

- A clinical prediction model to estimate the risk for coarctation of the aorta in the presence of a patent ductus arteriosus (Soslow et al). 2013;26:1379-
- Comparability of Z-score equations of cardiac structures in hypoplastic left heart complex (den Dekker et al). 2013;26:1314-21

Aortic valve

- Impact of transapical aortic valve replacement on apical wall motion (Barbash et al). 2013;26:255-60
- Impact of valvuloarterial impedance on 2-year outcome of patients undergoing transcatheter aortic valve implantation (Katsanos et al). 2013;26:691-8
- Left ventricular global systolic longitudinal deformation and prognosis 1 year after femoral and apical transcatheter aortic valve implantation (Løgstrup et al). 2013;26:246-54
- Left ventricular noncompaction in patients with bicuspid aortic valve (Agarwal et al). 2013:26:1306-13
- Patterns of aortic dilatation in bicuspid aortic valve—associated aortopathy (Khoo et al). 2013;26:600-5
- Predicting paravalvular regurgitation following transcatheter valve replacement: utility of a novel method for three-dimensional echocardiographic measurements of the aortic annulus (Hahn et al). 2013;26:1043-52

Short-term effects of transcatheter aortic valve implantation on left atrial mechanics and left ventricular diastolic function (Spethmann et al). 2013;26:64-71

Value of three-dimensional speckle-tracking in detecting left ventricular dysfunction in patients with aortic valvular diseases (Li et al). 2013;26:1245-52

Aortic valve stenosis

The impact of aortic valve replacement for aortic stenosis on mitral valve dynamics: a surgeon's view (Akins). 2013;26:615-7 (Editorial comment)

Implementation of echocardiography core laboratory best practices: a case study of the PARTNER I trial (Douglas et al). 2013;26:348-58

Left-right ventricular interactions in pediatric aortic stenosis: right ventricular myocardial strain before and after aortic valvuloplasty (Friedberg et al). 2013;26:390-7

Mitral valve dynamics in severe aortic stenosis before and after aortic valve replacement (Tsang et al). 2013;26:606-14

A novel and simple method using pocket-sized echocardiography to screen for aortic stenosis (Abe et al). 2013;26:589-96

Pocket-size devices, physical examination, and high-end echocardiography machines in perspective: are the times a'changing? (Cardim). 2013;26:597-9 (Editorial comment)

Real-time three-dimensional transesophageal echocardiography adds value to transcatheter aortic valve implantation (Smith et al). 2013;26:359-69

Relationship between longitudinal strain and symptomatic status in aortic stenosis (Attias et al). 2013;26:868-74

Strain analysis during exercise in patients with left ventricular hypertrophy: impact of etiology (Schnell et al). 2013;26:1163-9

Aortitis

The biophysical properties of the aorta are altered following Kawasaki disease (Vaujois et al). 2013;26:1388-96

Arteriosclerosis

Echo-Doppler assessment of arterial stiffness in pediatric patients with Kawasaki disease (AlHuzaimi et al). 2013;26:1084-9

Arteriovenous fistula

Intrapulmonary shunt is a potentially unrecognized cause of ischemic stroke and transient ischemic attack (Abushora et al). 2013;26:683-90

Asklepios Study

Family history of cardiovascular disease and offspring echocardiographic left ventricular structure and function: the Asklepios Study (Van daele et al). 2013;26:1290-7

Atherosclerosis

Aortic arch vessel disease and rationale for echocardiographic screening (Ruegg et al). 2013;26:114-25 (Review article)

Can carotid bulb plaque assessment rule out significant coronary artery disease? A comparison of plaque quantification by two- and three-dimensional ultrasound (Johri et al). 2013;26:86-95

Carotid artery plaque and progression of coronary artery calcium: the Multi-Ethnic Study of Atherosclerosis (Polak et al), 2013:26:548-55

Carotid intima-media thickness and plaque assessment by trained medical residents: validation and preliminary testing of a training protocol (Aldridge et al). 2013;26:1457-64

Comparison of factors associated with carotid intima-media thickness in the Multi-Ethnic Study of Atherosclerosis (MESA) and the Heinz Nixdorf Recall Study (HNR) (Bauer et al). 2013;26:667-73

Athletes; see Sports Atrial fibrillation

Assessment of left atrial deformation and synchrony by three-dimensional speckle-tracking echocardiography: comparative studies in healthy subjects and patients with atrial fibrillation (Mochizuki et al). 2013;26:165-74

Correlation of CHADS₂ and CHA₂DS₂–VASc scores with transesophageal echocardiography risk factors for thromboembolism in a multiethnic United States population with nonvalvular atrial fibrillation (Willens et al). 2013;26:175-84

The role of echocardiography in thromboembolic risk assessment of patients with nonvalvular atrial fibrillation (Providência et al). 2013;26:801-12 (Review article)

Two-dimensional atrial systolic strain imaging predicts atrial fibrillation at 4year follow-up in asymptomatic rheumatic mitral stenosis (Ancona et al). 2013;26:270-7

Atrial flutter

Transesophageal echocardiographic screening before atrial flutter ablation: is it necessary for patient safety? (Alyeshmerni et al). 2013;26:1099-105

Atrial function, child

Functional maturation of left and right atrial systolic and diastolic performance in infants, children, and adolescents (Kutty et al). 2013;26:398-409

Atrial function, left

Assessment of left atrial deformation and synchrony by three-dimensional speckle-tracking echocardiography: comparative studies in healthy subjects and patients with atrial fibrillation (Mochizuki et al). 2013;26:165-74

Changes in left atrial mechanics following pericardiectomy for pericardial constriction (Motoki et al). 2013;26:640-8

Left atrial function by two-dimensional speckle-tracking echocardiography in patients with severe organic mitral regurgitation: association with guidelines-based surgical indication and postoperative (long-term) survival (Debonnaire et al). 2013;26:1053-62

Left atrial and left ventricular diastolic function in chronic Chagas disease (Nascimento et al). 2013;26:1424-33

$\label{thm:continuous} \textbf{Atrioventricular septal defects}, \textbf{see} \ \textbf{Heart septal defects}, \textbf{atrial}; \textbf{Heart septal defects}, \textbf{ventricular}$

Autonomic nervous system

Left ventricular adaptation to acute hypoxia: a speckle-tracking echocardiography study (Dedobbeleer et al). 2013;26:736-45

Autoregulation; see Homeostasis

В

Balloon dilatation

Left-right ventricular interactions in pediatric aortic stenosis: right ventricular myocardial strain before and after aortic valvuloplasty (Friedberg et al). 2013;26:390-7

Bicuspid aortic valve; see Heart defects, congenital Biophysics

The biophysical properties of the aorta are altered following Kawasaki disease (Vaujois et al). 2013;26:1388-96

Blood circulation

Detection of right-to-left atrial communication using agitated saline contrast imaging: experience with 1162 patients and recommendations for echocardiography (Marriott et al). 2013;26:96-102

Validation study of the accuracy of echocardiographic measurements of systemic blood flow volume in newborn infants (Ficial et al). 2013;26:1365-71

Blood flow velocity

Brown adipose tissue blood flow and mass in obesity: a contrast ultrasound study in mice (Clerte et al). 2013;26:1465-73

Depressed myocardial blood flow reserve in nonischemic dilated cardiomyopathy: findings and explanations (Kaul). 2013;26:288-9 (Editorial comment)

Doppler flow patterns in the right ventricle—to—pulmonary artery shunt and neo-aorta in infants with single right ventricle anomalies: impact on outcome after initial staged palliations (Frommelt et al). 2013;26:521-9

Elevated left ventricular outflow tract velocities on exercise stress echocardiography may be a normal physiologic response in healthy youth (Wittlieb-Weber et al). 2013;26:1372-8

Geometric errors of the pulsed-wave Doppler flow method in quantifying degenerative mitral valve regurgitation: a three-dimensional echocardiography study (Ren et al). 2013;26:261-9

Localized transvalvular pressure gradients in mitral bileaflet mechanical heart valves and impact on gradient overestimation by Doppler (Evin et al). 2013;26:791-800

Nomograms for blood flow and tissue Doppler velocities to evaluate diastolic function in children: a critical review (Cantinotti and Lopez). 2013;26:126-41 (Review article)

Noninvasive assessment of vascular function and hydraulic power and efficiency in pediatric Fontan patients (Myers et al). 2013;26:1221-7

Prognostic value of coronary and microvascular flow reserve in patients with nonischemic dilated cardiomyopathy (Lima et al). 2013;26:278-87

Right isovolumic contraction velocity predicts survival in pulmonary hypertension (Ernande et al). 2013;26:297-306

Validation study of the accuracy of echocardiographic measurements of systemic blood flow volume in newborn infants (Ficial et al). 2013;26:1365-71

Blood glucose

Differential changes of left ventricular myocardial deformation in diabetic patients with controlled and uncontrolled blood glucose: a three-

Download English Version:

https://daneshyari.com/en/article/5609937

Download Persian Version:

https://daneshyari.com/article/5609937

<u>Daneshyari.com</u>