

Benefit-risk of intraoperative liver biopsy during bariatric surgery: review and perspectives.

Running title: Benefit-risk of intraoperative liver biopsy

Sandrine Barbois, M.D.^{ab}, Catherine Arvieux, M.D., Ph.D.^a, Vincent Leroy, M.D., Ph.D.^c,
Fabian Reche M.D.^a, Nathalie Stürm, M.D., Ph.D.^d, Anne-Laure Borel, M.D., Ph.D.^{be}

Affiliations:

- a. Grenoble Alpes University Hospital, Pole DIGIDUNE, digestive surgery department, Grenoble, France
- b. Hypoxia PathoPhysiology (HP2), INSERM U1042, University Grenoble Alpes, Grenoble, France
- c. Grenoble Alpes University Hospital, Pole DIGIDUNE, gastroenterology department, Grenoble, France
- d. Grenoble University Hospital, Pole biology, “Institut de Biologie et de Pathologie”, France
- e. Grenoble Alpes University Hospital, Pole DIGIDUNE, nutrition department, Grenoble, France

Corresponding author:

Pr. Anne-Laure Borel, M.D., Ph.D.

CHU Grenoble Alpes, Nutrition, CS10217, 38043 GRENOBLE Cedex 9, France

Tel: +33 476 765 509, Fax: +33 476 765 042, E-mail: alborel@chu-grenoble.fr

Download English Version:

<https://daneshyari.com/en/article/5662055>

Download Persian Version:

<https://daneshyari.com/article/5662055>

[Daneshyari.com](https://daneshyari.com)