



Available online at www.sciencedirect.com

ScienceDirect



Procedia Computer Science 92 (2016) 233 – 236

2nd International Conference on Intelligent Computing, Communication & Convergence (ICCC-2016)

Srikanta Patnaik, Editor in Chief

Conference Organized by Interscience Institute of Management and Technology

Bhubaneswar, Odisha, India

Finite Difference Time Domain simulation of Active cancellation of Radar echoes

Debabrata Acharjee^a,Md. Nazibul Hasan ^a, Santanu Maity^{b,*}

^aDepartment of Computer Science & Engineering, National Institute of Technology, Arunachal Pradesh-791112 ^bDepartment of Electronics and Communication Engineering, National Institute of Technology, Arunachal Pradesh-791112

Abstract

Radar evasion or Stealth is a technology most desirable among all the military research areas currently pursued. Research organisations have focused their attention on electronic stealth technology or cancellation of waves since it is feasible now due to the improvement of high end processing and fast electronic systems. In an attempt to increase our understanding of this field, we have analysed the phenomenon through computer aided simulation. In this paper, we have created an electromagnetic wave simulation platform and using finite difference time domain method, analysed a method of active cancellation. We have found results showing complete effectiveness of this method assured by the accuracy of FDTD method.

© 2016 The Authors. Published by Elsevier B.V. This is an open access article under the CC BY-NC-ND license (http://creativecommons.org/licenses/by-nc-nd/4.0/).

Peer-review under responsibility of the Organizing Committee of ICCC 2016

Keywords: FDTF, Active cancellation, Antenna, Microwave

* Corresponding author. Tel.: +91-9436272773. *E-mail address*:santanu.ece@nitap.in

Peer-review under responsibility of the Organizing Committee of ICCC 2016 doi:10.1016/j.procs.2016.07.350

1. Introduction:

There are four ways to make a target invisible to radar. First one is to shape the target in such a way so that all the incident waves are reflected any other way but back towards the radar [1-7]. Second one is to use materials that can absorb all of the electromagnetic waves that it would reflect otherwise. Third and fourth are active and passive cancellations where one superimposes on the reflected wave a similar wave but opposite phase so that they get cancelled out due to the phenomenon of superimposition of waves. Active cancellation is done for active radars that project electromagnetic pulses towards the targets and wait for the echo. Achieving a total cancellation can make it possible to turn any object irrespective of its shape and composition, invisible to radar. Therefore, we recognize it as a work of high importance and choose to test the phenomenon using the FDTD method to ensure as well as demonstrate that it works.

It S(t) is the signal reflected after from an object surface being projected by the radar and C(t) is the cancelation wave superimposed on the signal then according to the theory of superposition, the resultant wave:

$$R(t) = S(t) + C(t)$$

If the superimposed wave C(t) = -S(t),

Then the resultant wave, R(t) = 0, which means that no wave will be reflected back

Finite difference time domain method is a solving method for simulating electrodynamic systems that construct a motion picture or animation of electromagnetic waves by solving Maxwell's equation in time domain. In FDTD method, values of electric and magnetic field intensities are calculated at each point in space and time. This is why it gives a high degree of accuracy in analysis of transient phenomenon compared to methods that solves infrequency domain. Furthermore, solutions given by FDTD are valid and accurate for a very wide range of frequencies. It can be used to find impulse response just by giving an impulse as an input. Presently FDTD is popular as a solving method in the domain of electromagnetic simulations which includes popular simulation tools e.g. FEKO, CST Microwave Studio and OptiFDTD to mention a few of those famous. Therefore tool to demonstrate the phenomenon of cancelation of radar echoes from the surface of a target.

2. Results:




Fig. 5. (a) Sequential one dimensional simulation output of a wave hitting a plain reflector

Download English Version:

https://daneshyari.com/en/article/570701

Download Persian Version:

https://daneshyari.com/article/570701

<u>Daneshyari.com</u>