

Accepted Manuscript

Use of gas chromatography–mass spectrometry–olfactometry and a conventional flask test to identify off-flavor compounds generated from phenylalanine during chlorination of drinking water

Taku Matsushita, Miki Sakuma, Shiori Tazawa, Taiki Hatase, Nobutaka Shirasaki, Yoshihiko Matsui

PII: S0043-1354(17)30727-3

DOI: [10.1016/j.watres.2017.08.063](https://doi.org/10.1016/j.watres.2017.08.063)

Reference: WR 13186

To appear in: *Water Research*


Received Date: 23 March 2017

Revised Date: 23 August 2017





Accepted Date: 28 August 2017

Please cite this article as: Matsushita, T., Sakuma, M., Tazawa, S., Hatase, T., Shirasaki, N., Matsui, Y., Use of gas chromatography–mass spectrometry–olfactometry and a conventional flask test to identify off-flavor compounds generated from phenylalanine during chlorination of drinking water, *Water Research* (2017), doi: 10.1016/j.watres.2017.08.063.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



GC-MS-Olfactometry



Download English Version:

<https://daneshyari.com/en/article/5758805>

Download Persian Version:

<https://daneshyari.com/article/5758805>

[Daneshyari.com](https://daneshyari.com)