

Synthesis of styrene carbonate from styrene oxide and CO₂ over ZnBr₂ supported on MCM-41—Coated magnetic Fe₃O₄



Shanshan Luo, Guozhi Fan*, Ming Luo, Jianfen Li, Guangsen Song

School of Chemical and Environmental Engineering, Wuhan Polytechnic University, Wuhan 430023, China

ARTICLE INFO

Article history:

Received 12 June 2015

Received in revised form 21 October 2015

Accepted 4 February 2016

Available online 12 February 2016

Keywords:

Styrene carbonate

Carbon dioxide

ZnBr₂

Fe₃O₄

MCM-41

ABSTRACT

ZnBr₂ supported on magnetic nanoparticles Fe₃O₄ coated by MCM-41 (Fe₃O₄@MCM-41/ZnBr₂) was prepared and characterized by infrared spectroscopy (IR), powder X-ray diffraction (XRD) and nitrogen adsorption–desorption isotherms. The as-prepared samples were used as a recyclable catalyst for solvent-free synthesis of styrene carbonate (SC) from styrene oxide (SO) and carbonate dioxide (CO₂). The results showed that Fe₃O₄@MCM-41/ZnBr₂ exhibited similar catalytic activity to homologous ZnBr₂. It was found that the reaction depended on the reaction conditions in terms of the yield of SC. The yield of SC at 81.5% was obtained with 8 MPa CO₂ pressure at 90 °C for 3 h. The supported catalyst Fe₃O₄@MCM-41/ZnBr₂ can be easily recovered by a permanent magnet after the reaction and reused without further treatment. No significant change in the structure and loss in activity were observed. The yield of SC changed in a small range from 79.2 to 82.6% during 5 cycles.

© 2016 Elsevier Ltd. All rights reserved.

1. Introduction

Carbon dioxide (CO₂) is one of the main greenhouse gases resulted from human activities. It causes global warming and climate change as the concentration in the atmosphere increases at an accelerating rate. Factually, CO₂ is not only a sort of greenhouse gas but also the most abundant carbon resource on earth. The conversion of CO₂ into useful chemicals is one of the most important and fascinating fields in organic chemistry from the chemical science perspective. In recent decades, it has attracted extensive interest with the increase in the emission of CO₂.

Cyclic compounds, including cyclic carbonates, cyclic carbamates and cyclic ureas are conventionally synthesized by using toxic and hazardous phosgene as raw reagent. CO₂ is a promising alternative to conventional toxic chemicals such as phosgene, isocyanate or carbon monoxide due to its non-toxic, non-flammable, inexpensive and available in large quantities. Greener processes could be expected by using CO₂ as carbon resource [1]. Many compounds including hydrogen, alkenes, acetals, epoxides, amines, phenol and carbon–carbon unsaturated compounds etc. have been explored to react with CO₂ [2–4], in which carbonates, urea derivatives as well as formates and so on have been efficiently obtained [5–7]. Unfortunately, CO₂ is a highly oxidized and thermodynamically stable compound with low chemical reactivity

[8]. As a result, the kinetic and thermodynamic stability of CO₂ molecule presents significant challenges in designing efficient chemical transformations. The conversion of CO₂ into chemicals is generally focused on developing catalysts to activate CO₂ [6]. A variety of homogenous catalysts such as salen-complexes, metal oxides and Lewis acids have been employed in the reactions with the conversion of CO₂ involved [5,6,9]. However, few works focused on the heterogeneous catalytic system so far.

Homogeneous catalysts have been widely employed because of its excellent catalytic activity and selectivity, mild reaction conditions and more understandable mechanism. However, these catalysts often suffer the difficulty of isolation and separation. Heterogeneous catalytic systems have thought to be one of the most to overcome these problems since they can be effectively recovered from a reaction mixture in a straightforward manner [10]. Generally, heterogenization is achieved by grafting the active sites on solid materials including inorganic supports, polymers and hybrid materials. Silica, alumina, active carbon, ceria, polystyrene, polyvinylpyrrolidone are typical examples [11–13]. Recently, heterogeneous catalysts possess excellent activity and selectivity as well as the ease of separation and recovery have been developed by using magnetic nanoparticle Fe₃O₄ (MNPs-Fe₃O₄) as the support. Heterogenized magnetic catalysts such as noble metal Pd, Ru, Pt, and Au supported on Fe₃O₄ reveal excellent activity in a variety of reactions such as hydrolysis, hydrogenation, oxidation, carbon–carbon coupling and reduction [1,14–16].

A number of investigations have been focused on the synthesis of carbonates via the coupling of CO₂ with epoxide due to its atom

* Corresponding author.

E-mail addresses: fgzczh@163.com, fgzczh@whpu.edu.cn (G. Fan).




Fig. 1. IR spectra of (a) MCM-41, (b) Fe₃O₄, (c) Fe₃O₄@MCM-41 and (d) Fe₃O₄@MCM-41/ZnBr₂.

economy process and nearly no formation of by-product [17,18]. The synthesis of styrene carbonate (SC) via CO₂ and styrene oxide (SO) catalyzed by salen complexes is one of them [19,20]. The aim of this work is to develop an effective and recyclable catalyst for the direct synthesis of valuable SC from CO₂ and SO. Zinc halides supported on MNPs-Fe₃O₄ coated by MCM-41 were employed as the catalyst and the catalytic performance of the supported zinc halides was investigated by varying the loading and amount of ZnBr₂, material ratio, CO₂ pressure, reaction temperature and time. Moreover, Fe₃O₄@MCM-41/ZnBr₂ was recovered and reused without further treatment to evaluate its recyclable performance.

2. Experimental

2.1. Materials

All reagents were of analytical grade, purchasing commercially and used without further purification. The purity of CO₂ was 99.99%.




Fig. 2. XRD patterns of (a) MCM-41, (b) Fe₃O₄@MCM-41 and (c) Fe₃O₄@MCM-41/ZnBr₂.




Fig. 3. XRD patterns of (a) Fe₃O₄, (b) Fe₃O₄@MCM-41, (c) Fe₃O₄@MCM-41/ZnBr₂ and (d) Fe₃O₄@SiO₂/ZnBr₂.

2.2. Preparation of catalyst

2.2.1. Preparation of Fe₃O₄@MCM-41/ZnBr₂

Mesoporous MCM-41 was prepared as the methods reported previously [21,22]. A typical procedure is as follows: 2.2 g (0.6 mmol) cetyltrimethylammonium bromide was added to a solution of 53.4 g aqueous ammonia (26 wt%, 40 mmol NH₃·H₂O) before stirring for 30 min in a closed polyethylene bottle. Then 10.4 g (10 mmol) tetraethoxysilane (TEOS) was slowly added to the base/surfactant solution under stirring. The resulting solution was stirred for further 2 h at room temperature followed by aging at 80 °C for 96 h. White powder was then recovered by filtration and washed with distilled water thoroughly, dried at ambient temperature and calcined at 560 °C in air for 8 h.

In a typical experiment, 2.0 g MNPs-Fe₃O₄ was added to a mixture of ethanol and deionized water (70 mL ethanol/10 mL deionized water). After the mixture was dispersed by sonication for 20 min, 5 mL aqueous ammonia (26 wt%) and 1.72 g MCM-




Fig. 4. Nitrogen adsorption–desorption isotherms of (a) MCM-41, (b) Fe₃O₄@MCM-41 and (c) Fe₃O₄@MCM-41/ZnBr₂.

دانلود مقاله



<http://daneshyari.com/article/63539>



- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات