

Accepted Manuscript

Delivery of epidermal growth factor receptor inhibitor via a customized collagen scaffold promotes meniscal defect regeneration in a rabbit model

Zongyou Pan, Yan Wu, Xiaolei Zhang, Qianbao Fu, Jun Li, Yang Yang, Dongsheng Yu, Yuzi Xu, Xiaolang Lu, Heng Sun, Xianzhu Zhang, Boon Chin Heng, Varitsara Bunpetch, Shufang Zhang, Hongwei Ouyang


PII: S1742-7061(17)30436-1
DOI: <http://dx.doi.org/10.1016/j.actbio.2017.07.008>
Reference: ACTBIO 4975

To appear in: *Acta Biomaterialia*

Received Date: 6 March 2017
Revised Date: 1 July 2017
Accepted Date: 5 July 2017

Please cite this article as: Pan, Z., Wu, Y., Zhang, X., Fu, Q., Li, J., Yang, Y., Yu, D., Xu, Y., Lu, X., Sun, H., Zhang, X., Heng, B.C., Bunpetch, V., Zhang, S., Ouyang, H., Delivery of epidermal growth factor receptor inhibitor via a customized collagen scaffold promotes meniscal defect regeneration in a rabbit model, *Acta Biomaterialia* (2017), doi: <http://dx.doi.org/10.1016/j.actbio.2017.07.008>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Delivery of epidermal growth factor receptor inhibitor via a customized collagen scaffold promotes meniscal defect regeneration in a rabbit model

Zongyou Pan^{a,b,c,e}, Yan Wu^{a,b,c}, Xiaolei Zhang^{a,b,c,e,f}, Qianbao Fu^{a,b,c}, Jun Li^{a,b,c}, Yang Yang^e, Dongsheng Yu^{a,b,c}, Yuzi Xu^{a,b,c}, Xiaolang Lu^e, Heng Sun^{a,b,c}, Xianzhu Zhang^{a,b,c}, Boon Chin Heng^d, Varitsara Bunpetch^{a,b,c}, Shufang Zhang^{a,b,c,f,*}, Hongwei Ouyang^{a,b,c,e,f,*}

^a Dr. Li Dak Sum & Yip Yio Chin Center for Stem Cells and Regenerative Medicine, School of Medicine, Zhejiang University, China

^b Zhejiang Key Laboratory for Tissue Engineering and Repair Technology, School of Medicine, Zhejiang University, Zhejiang 310009, China

^c Department of Sports Medicine, School of Medicine, Zhejiang University, Zhejiang 310000, China.

^d Faculty of Dentistry, The University of Hong Kong, Pokfulam, Hong Kong SAR, China.

^e State Key Laboratory for Diagnosis and Treatment of Infectious Diseases, Collaborative Innovation Center for Diagnosis and Treatment of Infectious Diseases, The First Affiliated Hospital, School of Medicine, Zhejiang University, 310003 Hangzhou, China

^e Department of Orthopaedics, The Second Affiliated Hospital, Wenzhou Medical University, China

^f China Orthopaedic Regenerative Medicine Group (CORMed), Hangzhou, China

* Corresponding author.

Email: zhangshufang@zju.edu.cn; hwoy@zju.edu.cn(HW.Ouyang)

Tel: +86-571-88208262

Fax: +86-571-88208262

Key words: gefitinib, collagen scaffold, meniscus, EGFR

Download English Version:

<https://daneshyari.com/en/article/6448924>

Download Persian Version:

<https://daneshyari.com/article/6448924>

[Daneshyari.com](https://daneshyari.com)