Accepted Manuscript

Title: Improving ancestry distinctions among southwest asian populations

Authors: Ozlem Bulbul, William C. Speed, Cemal Gurkan, Usha Soundararajan, Haseena Rajeevan, Andrew J. Pakstis, Kenneth K. Kidd

PII: \$1872-4973(18)30170-4

DOI: https://doi.org/10.1016/j.fsigen.2018.03.010

Reference: FSIGEN 1872

To appear in: Forensic Science International: Genetics

Received date: 20-9-2017 Revised date: 10-1-2018 Accepted date: 22-3-2018

Please cite this article as: Ozlem Bulbul, William C.Speed, Cemal Gurkan, Usha Soundararajan, Haseena Rajeevan, Andrew J.Pakstis, Kenneth K.Kidd, Improving ancestry distinctions among southwest asian populations, Forensic Science International: Genetics https://doi.org/10.1016/j.fsigen.2018.03.010

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Improving Ancestry Distinctions Among Southwest Asian Populations

Ozlem Bulbul^{a,b*}, William C. Speed^a, Cemal Gurkan^{c,d}, Usha Soundararajan^a, Haseena Rajeevan^{a,e}, Andrew J. Pakstis^a, Kenneth K. Kidd^{a*}

Corresponding Authors:

Ozlem Bulbul, Ph.D. Assistant Professor Institute of Forensic Science Istanbul University, 34098, Istanbul, Turkey Telephone: 0090 5353984526

Email: ozlembulbul00@gmail.com

Kenneth K. Kidd, Ph.D.
Professor Emeritus
Senior Research Scientist
Department of Genetics
Yale University School of Medicine,
New Haven, CT 06520-8005 USA

Telephone: 2037852654

Email: kenneth.kidd@yale.edu

Highlights

- Previous studies identified Europe and Southwest Asia as a "Continental Region"
- 2568 samples of 39 populations from this region plus East Africa were studied.
- 264 Ancestry Informative SNPs (AISNPs) were typed on new 299 individuals.
- The two-tier approach was applied for finer scale ancestry assignment.
- 86 AISNPs define refined ancestry among European and Southwest Asian populations, as a second-tier panel.

^a Department of Genetics, Yale University School of Medicine, New Haven, CT, USA

^b Institute of Forensic Science, Istanbul University, Turkey

^c Turkish Cypriot DNA Laboratory, Nicosia (North Cyprus), Turkey

^d Dr. Fazıl Küçük Faculty of Medicine, Eastern Mediterranean University, Famagusta (North Cyprus), Turkey

^e Yale Center for Medical Informatics, Yale University School of Medicine, New Haven, CT, USA

Download English Version:

https://daneshyari.com/en/article/6553212

Download Persian Version:

https://daneshyari.com/article/6553212

<u>Daneshyari.com</u>