### **Accepted Manuscript**

Optimization of dynamic spot-checking for collusion tolerance in grid computing

Gregory Levitin, Liudong Xing, Barry W. Johnson, Yuanshun Dai


PII: S0167-739X(17)30551-4

DOI: https://doi.org/10.1016/j.future.2018.01.049

Reference: FUTURE 3956

To appear in: Future Generation Computer Systems

Received date: 6 April 2017 Revised date: 9 January 2018 Accepted date: 25 January 2018



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



### ACCEPTED MANUSCRIPT

## Optimization of Dynamic Spot-Checking for Collusion Tolerance in Grid Computing

Gregory Levitin<sup>1</sup>, Liudong Xing<sup>2</sup>, Barry W. Johnson<sup>3</sup>, Yuanshun Dai<sup>4</sup>

**Abstract** – Grid computing provides a paradigm for performing computationally intensive tasks by shared resources in a parallel and distributed manner. These shared resources, however, can be misused by malicious users to sabotage running applications of others in some competing environments. Voting-based techniques are commonly applied to resist the sabotage. These techniques become ineffective in systems subject to collusion attacks, where malicious resources collectively sabotage a task by returning identical incorrect outputs. To tackle the collusion attacks the spotchecking technique has been utilized, in which spotter jobs with known correct outputs are sent to randomly-chosen resources to estimate their credibility based on a comparison of returned results and the correct outputs. This paper aims to maximize effectiveness of the spot-checking technique (i.e., minimize the wrong output probability) while satisfying constraints on the expected overhead through optimizing assignment procedure parameters. These parameters include the number of deployed spotter jobs, the number of resources examined by each spotter job, and the number of resources assigned to execute the genuine task. Different from existing research that has assumed fixed values for the latter two parameters, this paper models a novel

Manuscript received XXX; revised XXX; accepted XXX. This work was supported in part by the National Natural Science Foundation of China (No. 61170042) and Jiangsu Province development and reform commission (No. 2013-883).

<sup>&</sup>lt;sup>1</sup>G. Levitin is with Center for System Reliability and Safety, University of Electronic Science and Technology of China, Chengdu, Sichuan, 611731, P. R. China and with The Israel Electric Corporation, P. O. Box 10, Haifa 31000, Israel (email: levitin@iec.co.il).

<sup>&</sup>lt;sup>2</sup>L. Xing is with the Department of Electrical & Computer Engineering, University of Massachusetts Dartmouth, USA (email: lxing@umassd.edu).

<sup>&</sup>lt;sup>3</sup>B.W. Johnson is with the Department of Electrical & Computer Engineering, University of Virginia, Charlottesville, VA 22904, USA (email: <a href="mailto:bwj@virginia.edu">bwj@virginia.edu</a>).

<sup>&</sup>lt;sup>4</sup>Y. Dai is with Collaborative Autonomic Computing Laboratory, School of Computer Science, University of Electronic Science and Technology of China.

### Download English Version:

# https://daneshyari.com/en/article/6872976

Download Persian Version:

https://daneshyari.com/article/6872976

<u>Daneshyari.com</u>