


Accepted Manuscript

Sampling-based Selection-Decimation Deployment Approach for Large-scale Wireless Sensor Networks

M.R. Senouci, H.E. Lehtihet

PII: S1570-8705(18)30070-2
DOI: [10.1016/j.adhoc.2018.04.002](https://doi.org/10.1016/j.adhoc.2018.04.002)
Reference: ADHOC 1657



To appear in: *Ad Hoc Networks*

Received date: 30 July 2017
Revised date: 28 February 2018
Accepted date: 2 April 2018

Please cite this article as: M.R. Senouci, H.E. Lehtihet, Sampling-based Selection-Decimation Deployment Approach for Large-scale Wireless Sensor Networks, *Ad Hoc Networks* (2018), doi: [10.1016/j.adhoc.2018.04.002](https://doi.org/10.1016/j.adhoc.2018.04.002)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Sampling-based Selection-Decimation Deployment Approach for Large-scale Wireless Sensor Networks

M. R. Senouci^a, H. E. Lehtihet^b

^a*Distributed and Complex Systems Lab., Ecole Militaire Polytechnique, Algiers, Algeria*

^b*Department of Applied Mathematics, Ecole Militaire Polytechnique, Algiers, Algeria*

Abstract

Large-scale is one of the main tendencies for future wireless sensor networks. This paper considers the problem of deploying (very) large-scale wireless sensor networks in a way that guarantees preferential coverage of a region of interest. As this deployment problem is NP-complete, a weighted sampling scheme matching the requested detection probabilities is adopted in order to reduce the computation workload. The problem is then solved using a practical deployment approach based on a fast selection-decimation process that is easy to implement. The performance of the proposed approach is evaluated through extensive simulations and compared to several other deployment strategies. Results show that the proposed approach fully satisfies the user requirements, outperforms existing algorithms in terms of deployment cost while reducing dramatically the computation time. This reduction, which is scenario-dependent, is at least one order of magnitude but may exceed four orders of magnitude in large-scale scenarios.

Keywords: Large-scale Wireless Sensor Networks, Deployment, Placement, Coverage, Sampling.

1. Introduction

Coverage of a Region of Interest (RoI) has been one of the primary objectives considered by the community of researchers in Wireless Sensor Networks (WSNs) [1, 2, 3]. Various types of deployment strategies (e.g. [4, 5, 6]) have been proposed that also account for other relevant issues (such as connectivity, network lifespan, and k -coverage) which cannot be overlooked when designing viable WSNs for real-life applications. These important issues are not

Download English Version:

<https://daneshyari.com/en/article/6878505>

Download Persian Version:

<https://daneshyari.com/article/6878505>

[Daneshyari.com](https://daneshyari.com)