Accepted Manuscript

Random Forest regression for manifold-valued responses

Dimosthenis Tsagkrasoulis, Giovanni Montana

 PII:
 S0167-8655(17)30415-4

 DOI:
 10.1016/j.patrec.2017.11.008

 Reference:
 PATREC 7000

To appear in:

Pattern Recognition Letters

Received date:16 February 2017Revised date:7 August 2017Accepted date:5 November 2017



Please cite this article as: Dimosthenis Tsagkrasoulis, Giovanni Montana, Random Forest regression for manifold-valued responses, *Pattern Recognition Letters* (2017), doi: 10.1016/j.patrec.2017.11.008

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Distance-based Random Forest regression methodology.
- Methodology depends only on pairwise distances between training response observations.
- Easy application on a wide variety of data response objects.

sopt sopt

Download English Version:

https://daneshyari.com/en/article/6940734

Download Persian Version:

https://daneshyari.com/article/6940734

Daneshyari.com