Accepted Manuscript

Concentrating second-generation lactic acid from sugarcane bagasse via Hybrid Short Path Evaporation: operational challenges

Regiane Alves de Oliveira, Andrea Komesu, Carlos Eduardo Vaz Rossell, Maria Regina Wolf Maciel, Rubens Maciel Filho

PII:	S1383-5866(18)31159-6
DOI:	https://doi.org/10.1016/j.seppur.2018.07.012
Reference:	SEPPUR 14743
To appear in:	Separation and Purification Technology
Received Date:	4 April 2018
Revised Date:	26 June 2018
Accepted Date:	6 July 2018



Please cite this article as: R. Alves de Oliveira, A. Komesu, C. Eduardo Vaz Rossell, M. Regina Wolf Maciel, R. Maciel Filho, Concentrating second-generation lactic acid from sugarcane bagasse via Hybrid Short Path Evaporation: operational challenges, *Separation and Purification Technology* (2018), doi: https://doi.org/10.1016/j.seppur.2018.07.012

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Concentrating second-generation lactic acid from sugarcane bagasse via Hybrid Short Path

Evaporation: operational challenges

Regiane Alves de Oliveira ^a *, Andrea Komesu ^b, Carlos Eduardo Vaz Rossell ^c, Maria Regina Wolf Maciel ^a and Rubens Maciel Filho ^a

^a Laboratory of Optimization, Design and Advanced Process Control, School of Chemical Engineering, University of Campinas – Unicamp, 500 Albert Einstein AV., 13083-852, Campinas – SP, Brazil;

^b Departamento de Ciências do Mar [Department of Marine Sciences], Federal University of São
Paulo – UNIFESP, 144 Carvalho de Mendonça St., 11070-100, Santos – SP, Brazil;
^c Interdisciplinary Center of Energy Planning, University of Campinas – Unicamp, 330 Cora
Coralina St., 13083-896, Campinas – SP, Brazil

* Corresponding author: Regiane Alves de Oliveira; oliveiraalves.re@gmail.com

Declarations of interest: none

Abstract

Production of lactic acid (LA) from lignocellulosic materials has become increasingly prominent in the market. However, for industrial scale to be reached, several challenges in secondgeneration lactic acid production must be overcome. Besides obstacles such as the hydrolysis process, one of the major challenges of the lactic acid industry is the separation and purification process. This study evaluates the separation of lactic acid produced from hemicellulose Download English Version:

https://daneshyari.com/en/article/7043446

Download Persian Version:

https://daneshyari.com/article/7043446

Daneshyari.com