

Dostępne online [www.sciencedirect.com](http://www.sciencedirect.com)

ScienceDirect

journal homepage: [www.elsevier.com/locate/alkona](http://www.elsevier.com/locate/alkona)

Original article/ Artykuł oryginalny

## The patient under the influence of alcohol – Discriminated victim or aggressor?

*Pacjent pod wpływem alkoholu – dyskryminowana ofiara czy agresor?*

Anna Burak<sup>1,\*</sup>, Iwona Dembna<sup>1</sup>, Katarzyna Cierzniakowska<sup>2</sup>,  
Robert Zacniewski<sup>3</sup>, Aleksandra Popow<sup>2</sup>

<sup>1</sup> Clinical Department of Emergency Medicine, Faculty of Health Sciences, Collegium Medicum, Nicolaus Copernicus University in Toruń, University Hospital no. 2 in Bydgoszcz, Poland

<sup>2</sup> Surgical Nursing and Chronic Injury Treatment Department, Faculty of Health Sciences, Collegium Medicum, Nicolaus Copernicus University in Toruń, University Hospital no. 2 in Bydgoszcz, Poland

<sup>3</sup> Chair and Department of Alergology, Clinical Immunology and Internal Diseases, Faculty of Medicine, Collegium Medicum, Nicolaus Copernicus University in Toruń, University Hospital no. 2 in Bydgoszcz, Poland

### ARTICLE INFO

#### Article history:

Received: 18.01.2016

Accepted: 05.07.2016

Available online: xxx

#### Keywords:

Hospital emergency department

Alcohol

Patient

Discrimination

### ABSTRACT

**Introduction:** Persons under the influence of alcohol are often admitted as patients to hospital emergency departments (EDs) and other hospital wards. Their behaviour usually differs from the socially accepted norms, and, in consequence, these patients receive lower quality medical care, which is counted as discrimination. In this situation however, it is often difficult to define whether patients under the influence of alcohol are victims of discrimination or aggressors. The aim of this research was the identification of the incidences of unequal treatment of drunken patients by medical staff.

**Method:** The research was conducted from January to June 2015 on a group of 206 hospital ED medical staff, as well as other selected hospital wards, at two hospitals in Bydgoszcz. The diagnostic poll method was used, with the research tool being the original poll survey questionnaire. Non-parametric difference significance tests of independent groups were used for statistical analyses. The acquired data was processed with Statistica PL and Microsoft Excel programmes.

**Results:** The occurrence of unequal treatment by medical staff of patients under the influence of alcohol was observed in the performed studies. There is a correlation between medical staff workplace and the prevalence of

\* Corresponding author at: Szpital Uniwersytecki nr 2 im. dr J. Biziela, Oddział Kliniczny Medycyny Ratunkowej, ul. Ujejskiego 75, 85-168 Bydgoszcz, Poland. Tel.: +48 523 655207; fax: +48 523 655207.

E-mail address: [annaburak72@gmail.com](mailto:annaburak72@gmail.com) (A. Burak).

Peer review under responsibility of Institute of Psychiatry and Neurology.

<http://dx.doi.org/10.1016/j.alkona.2016.09.001>

0867-4361/© 2016 Institute of Psychiatry and Neurology. Production and hosting by Elsevier Sp. z o.o. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

Please cite this article in press as: Burak A, et al. The patient under the influence of alcohol – Discriminated victim or aggressor? Alcohol. Drug Addict. (2016), <http://dx.doi.org/10.1016/j.alkona.2016.09.001>

discrimination against this group of patients. It most frequently takes place in EDs. In the respondents' opinion, care and treatment of patients under the influence of alcohol is aggravated by their vulgar behaviour. From viewpoint of the medical staff, the existence of a special care institution for intoxicated persons is justified.

© 2016 Institute of Psychiatry and Neurology. Production and hosting by Elsevier Sp. z o.o. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

## STRESZCZENIE

### Słowa kluczowe:

szpitalny oddział ratunkowy  
alkohol  
pacjent  
dyskryminacja

*Wprowadzenie:* Osoby znajdujące się pod wpływem alkoholu coraz częściej są pacjentami szpitalnych oddziałów ratunkowych oraz innych oddziałów szpitalnych. Ich zachowanie zazwyczaj odbiega od społecznie przyjętych norm. Następstwem tego może być niższa jakość opieki medycznej udzielanej tej grupie pacjentów przez personel medyczny, co jest przejawem dyskryminacji. W tej sytuacji często trudno zdefiniować, czy pacjenci będący pod wpływem alkoholu to ofiary dyskryminacji czy agresorzy. Celem badań była identyfikacja przejawów nierównego traktowania nietrzeźwych pacjentów przez pracowników medycznych.

*Metoda:* Badania przeprowadzono w okresie od stycznia do czerwca 2015 r. na grupie 206 pracowników medycznych, zatrudnionych w szpitalnych oddziałach ratunkowych (SOR) oraz innych wybranych oddziałach szpitalnych dwóch szpitali w Bydgoszczy. W pracy zastosowano metodę sondażu diagnostycznego. Do analiz statystycznych wykorzystano nieparametryczne testy istotności różnic dla grup niezależnych. Narzędziem badawczym był autorski kwestionariusz ankiety. Uzyskane dane zostały opracowane za pomocą programów Statistica PL i Microsoft Excel.

*Wyniki:* Na podstawie przeprowadzonych badań stwierdzono występowanie przejawów nierównego traktowania pacjentów znajdujących się pod wpływem alkoholu przez personel medyczny. Istnieje zależność między miejscem zatrudnienia personelu a występowaniem przejawów dyskryminacji tej grupy pacjentów. Istotnie częściej ma to miejsce w SOR. Zdaniem respondentów, podejmowanie działań opiekuńczo-leczniczych u chorych będących pod wpływem alkoholu najbardziej utrudnia ich wulgarnie zachowanie. W opinii personelu, zasadne jest istnienie ośrodków pomocy dla osób nietrzeźwych.

© 2016 Institute of Psychiatry and Neurology. Production and hosting by Elsevier Sp. z o.o. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

## Introduction

Alcohol is the most widespread psychoactive substance and its abuse leads to many negative social, economic and health consequences [1]. The real social effects of alcohol dependence are difficult to assess, and the social problems concern family life, work environment, law and behaviour in public places. Persons under the influence of alcohol are potential victims of crime [2]. Alcohol consumption may lead to acute disease processes as well as numerous chronic diseases. Long-term drinking

results include the increased risk of cancer, tuberculosis, cirrhosis or acute pancreatitis, which are diseases associated with a high mortality rate [3–5]. Persons being under the influence of alcohol have accidents very often both as victims, e.g. drunk pedestrians, and as guilty parties, e.g. drunk drivers. Injuries they sustain require attention in the hospital ED or in the admission room (AR), or even hospitalisation and life-saving procedures [2, 6–10].

Alcohol causes a human being to lose control of many functions. Intensification of symptoms related to alcohol consumption is reflected in blood alcohol

Download English Version:

<https://daneshyari.com/en/article/7261440>

Download Persian Version:

<https://daneshyari.com/article/7261440>

[Daneshyari.com](https://daneshyari.com)