Accepted Manuscript

Title: Cognitive impairment associated with cocaine use: the role of co-existent alcohol abuse/dependence

Authors: Laura Blanco-Presas, Ana Moreno-Alcázar, Silvia Alonso-Lana, Raymond Salvador, Edith Pomarol-Clotet, Peter McKenna

PII: S0376-8716(18)30277-1

DOI: https://doi.org/10.1016/j.drugalcdep.2018.03.054

Reference: DAD 6975

To appear in: Drug and Alcohol Dependence

Received date: 29-5-2017 Revised date: 5-3-2018 Accepted date: 6-3-2018

Please cite this article as: Blanco-Presas L, Moreno-Alcázar A, Alonso-Lana S, Salvador R, Pomarol-Clotet E, McKenna P, Cognitive impairment associated with cocaine use: the role of co-existent alcohol abuse/dependence, *Drug and Alcohol Dependence* (2018), https://doi.org/10.1016/j.drugalcdep.2018.03.054

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Cognitive impairment associated with cocaine use: the role of co-existent alcohol abuse/dependence

Laura Blanco-Presas¹, Ana Moreno-Alcázar^{2,3}, Silvia Alonso-Lana^{2,3}, Raymond Salvador^{2,3}, Edith Pomarol-Clotet^{2,3}, Peter McKenna^{2,3}

¹Benito Menni Complex Assistencial en Salut Mental, Barcelona, 08830, Spain

²FIDMAG, Germanes Hospitalàries Research Foundation, Avda. Jordà, 8, Barcelona, 08035, Spain

³Centro de Investigación Biomédica en Red de Salud Mental (CIBERSAM), Av. Monforte de Lemos, 3-5 Pabellón, 11. Planta 0 28029, Spain

Correspondence:

Peter J. McKenna

FIDMAG, Germanes Hospitalàries, Benito Menni CASM,

C/. Dr. Antoni Pujadas 38, 08830 Sant Boi de Llobregat, Barcelona

Phone: +34 93 652 99 99

Email: mckennapeter1@gmail.com

Highlights

- Comorbid alcohol abuse is known to be common in cocaine abusers.
- How far this contributes to cocaine-associated cognitive impairment is unclear.
- This study found similar cognitive deficits in cocaine/alcohol and alcohol abusers.
- Alcohol intake needs to be considered in studies of cocaine effects on the brain.

Download English Version:

https://daneshyari.com/en/article/7502786

Download Persian Version:

https://daneshyari.com/article/7502786

<u>Daneshyari.com</u>