


Accepted Manuscript

Ten recommendations for assessing the comparative effectiveness of therapeutic medical devices: A targeted review and adaptation

Petra Schnell-Inderst, Theresa Hunger, Annette Conrads-Frank, Marjan Arvandi, Uwe Siebert



PII: S0895-4356(17)31099-5

DOI: [10.1016/j.jclinepi.2017.09.022](https://doi.org/10.1016/j.jclinepi.2017.09.022)

Reference: JCE 9493

To appear in: *Journal of Clinical Epidemiology*

Received Date: 15 January 2016

Revised Date: 17 April 2017

Accepted Date: 26 September 2017

Please cite this article as: Schnell-Inderst P, Hunger T, Conrads-Frank A, Arvandi M, Siebert U, Ten recommendations for assessing the comparative effectiveness of therapeutic medical devices: A targeted review and adaptation, *Journal of Clinical Epidemiology* (2017), doi: 10.1016/j.jclinepi.2017.09.022.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Ten recommendations for assessing the comparative effectiveness of therapeutic medical devices: A targeted review and adaptation

Petra Schnell-Inderst¹, Theresa Hunger¹, Annette Conrads-Frank¹, Marjan Arvandi¹, Uwe Siebert^{1,2,3}

¹ Institute of Public Health, Medical Decision Making and Health Technology Assessment, Dept. of Public Health, Health Services Research and Health Technology Assessment, UMIT - University for Health Sciences, Medical Informatics and Technology, Eduard Wallnoefer Center I, 6060 Hall i.T., AUSTRIA

² Department of Health Policy and Management, Harvard T.H. Chan School of Public Health, Boston, MA, USA

³ Institute for Technology Assessment and Department of Radiology, Massachusetts General Hospital, Harvard Medical School, Boston, MA, USA

Word count: Text without Figures, Tables and refs 9700, Table evidence synthesis 2000,

Correspondence to:

Dr. Petra Schnell-Inderst, MPH, Dipl.-Biol.
Senior Scientist
Head, Program on Health Technology Assessment
Institute of Public Health, Medical Decision Making and Health Technology Assessment
Dept. of Public Health and Health Technology Assessment
UMIT - University for Health Sciences, Medical Informatics and Technology
Eduard Wallnoefer Center I, A-6060 Hall i.T., AUSTRIA
Tel.: +43(0)50-8648-3937, Fax: +43(0)50-8648-673937
@: petra.schnell-inderst@umit.at web: <http://dph.umit.at>

Download English Version:

<https://daneshyari.com/en/article/7519039>

Download Persian Version:

<https://daneshyari.com/article/7519039>

[Daneshyari.com](https://daneshyari.com)