

# Accepted Manuscript


## Properties of Phosphorylated Thymidylate Synthase

Tomasz Fraczyk, Tomasz Ruman, Piotr Wilk, Paweł Palmowski, Adelina Rogowska-Wrzesinska, Joanna Cieśla, Zbigniew Zieliński, Joanna Nizioł, Adam Jarmuła, Piotr Maj, Barbara Gołos, Patrycja Wińska, Sylwia Ostafil, Elżbieta Wałajtys-Rode, David Shugar, Wojciech Rode

PII: S1570-9639(15)00221-6  
DOI: doi: [10.1016/j.bbapap.2015.08.007](https://doi.org/10.1016/j.bbapap.2015.08.007)  
Reference: BBAPAP 39644

To appear in: *BBA - Proteins and Proteomics*

Received date: 17 May 2015  
Revised date: 24 July 2015  
Accepted date: 18 August 2015



Please cite this article as: Tomasz Fraczyk, Tomasz Ruman, Piotr Wilk, Paweł Palmowski, Adelina Rogowska-Wrzesinska, Joanna Cieśla, Zbigniew Zieliński, Joanna Nizioł, Adam Jarmuła, Piotr Maj, Barbara Gołos, Patrycja Wińska, Sylwia Ostafil, Elżbieta Wałajtys-Rode, David Shugar, Wojciech Rode, Properties of Phosphorylated Thymidylate Synthase, *BBA - Proteins and Proteomics* (2015), doi: [10.1016/j.bbapap.2015.08.007](https://doi.org/10.1016/j.bbapap.2015.08.007)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## Properties of Phosphorylated Thymidylate Synthase

Tomasz Frączyk<sup>a,1</sup>, Tomasz Ruman<sup>b</sup>, Piotr Wilk<sup>a</sup>, Paweł Palmowski<sup>c</sup>,  
Adelina Rogowska-Wrzesinska<sup>c</sup>, Joanna Cieśla<sup>a,2</sup>, Zbigniew Zieliński<sup>a</sup>, Joanna Nizioł<sup>b</sup>,  
Adam Jarmuła<sup>a</sup>, Piotr Maj<sup>a</sup>, Barbara Gołoś<sup>a</sup>, Patrycja Wińska<sup>a,2</sup>, Sylwia Ostafil<sup>a</sup>,  
Elżbieta Wałajtyś-Rode<sup>d</sup>, David Shugar<sup>e</sup>, Wojciech Rode<sup>a\*</sup>

<sup>a</sup>Nencki Institute of Experimental Biology, Polish Academy of Sciences, Warszawa, Poland,

<sup>b</sup>Rzeszów University of Technology, Faculty of Chemistry, Rzeszów, Poland,

<sup>c</sup>Institute for Biochemistry and Molecular Biology, University of Southern Denmark, Odense, Denmark

<sup>d</sup>Warsaw University of Technology, Faculty of Chemistry, Institute of Biotechnology, Warszawa, Poland

<sup>e</sup>Institute of Biochemistry and Biophysics, Polish Academy of Sciences, Warszawa, Poland

\*Corresponding author

E-mail: rode@nencki.gov.pl (WR)

<sup>1</sup>Current address: Institute of Biochemistry and Biophysics, Polish Academy of Sciences, Warszawa, Poland;

<sup>2</sup>Current address: Warsaw University of Technology, Faculty of Chemistry, Institute of Biotechnology, Warszawa, Poland

**Abbreviations:** AcN, acetonitrile; FdUrd, 5-fluoro-dUrd; FdUMP, 5-fluoro-dUMP; TFA, trifluoroacetic acid; TS, thymidylate synthase; meTHF, N<sup>5,10</sup>-metylenetetrahydrofolate; KPA, potassium phosphoramidate; MOAC, metal oxide/hydroxide affinity chromatography; m-**p**TS, h-**p**TS, r-**p**TS, Tsp-**p**TS and Ce-**p**TS, phosphorylated, MOAC-separated from the corresponding non-phosphorylated TS fractions of mouse, human, rat, *T. spiralis* and *C. elegans* enzyme recombinant proteins, respectively; m-TS, h-TS, r-TS, Tsp-TS and Ce-TS, non-phosphorylated, MOAC-separated from the corresponding phosphorylated TS fractions of mouse, human, rat, *T. spiralis* and *C. elegans* enzyme recombinant proteins, respectively.

Download English Version:

<https://daneshyari.com/en/article/7560822>

Download Persian Version:

<https://daneshyari.com/article/7560822>

[Daneshyari.com](https://daneshyari.com)