

Accepted Manuscript

Title: In vitro digestibility, physicochemical, thermal and rheological properties of banana starches

Author: R. Utrilla-Coello M.E. Rodríguez-Huezo H.
Carrillo-Navas C. Hernández-Jaimes E.J. Vernon-Carter J.
Alvarez-Ramirez



PII: S0144-8617(13)00911-9
DOI: <http://dx.doi.org/doi:10.1016/j.carbpol.2013.09.019>
Reference: CARP 8108

To appear in:

Received date: 12-7-2013
Revised date: 1-8-2013
Accepted date: 8-9-2013

Please cite this article as: Utrilla-Coello, R., Rodríguez-Huezo, M. E., Carrillo-Navas, H., Hernández-Jaimes, C., Vernon-Carter, E. J., & Alvarez-Ramirez, J., In vitro digestibility, physicochemical, thermal and rheological properties of banana starches, *Carbohydrate Polymers* (2013), <http://dx.doi.org/10.1016/j.carbpol.2013.09.019>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

1
2
3
4
5
6

HIGHLIGHTS

!! Amylose content was the main factor influencing the banana starch properties.

!! All the starches exhibited type III behaviour (G'' overshoot).

!! Lixivated amylose formed a complex gel reinforced by swollen starch granules.

Accepted Manuscript

Download English Version:

<https://daneshyari.com/en/article/7792667>

Download Persian Version:

<https://daneshyari.com/article/7792667>

[Daneshyari.com](https://daneshyari.com)