

## Accepted Manuscript

The effect of ethylene oxide sterilization on electrospun vascular grafts made from biodegradable polyesters

J. Horakova, P. Mikes, A. Saman, V. Jencova, A. Klapstova, T. Svarcova, M. Ackermann, V. Novotny, T. Suchy, D. Lukas



PII: S0928-4931(17)33882-1  
DOI: doi:[10.1016/j.msec.2018.06.041](https://doi.org/10.1016/j.msec.2018.06.041)  
Reference: MSC 8680  
To appear in: *Materials Science & Engineering C*  
Received date: 26 September 2017  
Revised date: 18 May 2018  
Accepted date: 18 June 2018

Please cite this article as: J. Horakova, P. Mikes, A. Saman, V. Jencova, A. Klapstova, T. Svarcova, M. Ackermann, V. Novotny, T. Suchy, D. Lukas , The effect of ethylene oxide sterilization on electrospun vascular grafts made from biodegradable polyesters. *Msc* (2018), doi:[10.1016/j.msec.2018.06.041](https://doi.org/10.1016/j.msec.2018.06.041)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

# The effect of ethylene oxide sterilization on electrospun vascular grafts made from biodegradable polyesters

Horakova J<sup>1\*</sup>, Mikes P<sup>1</sup>, Saman A<sup>1</sup>, Jencova V<sup>1</sup>, Klapstova A<sup>1</sup>, Svarcova T<sup>1</sup>, Ackermann M<sup>2</sup>,  
Novotny V<sup>3</sup>, Suchy T<sup>4</sup>, Lukas D<sup>1</sup>

<sup>1</sup>Department of Nonwovens and Nanofibrous Materials, Faculty of Textile Engineering, Technical University of Liberec, Studentska 1402/2, 461 17 Liberec, Czech Republic. jana.horakova@tul.cz;  
petr.mikes@tul.cz; ales.saman@tul.cz; vera.jencova@tul.cz; andrea.klapstova@tul.cz;  
tereza.svarcova@tul.cz; david.lukas@tul.cz

<sup>2</sup> Department of Industrial Technology, Institute of Nanomaterials, Advanced Technologies and Innovation, Technical University of Liberec, Studentska 1402/2, 460 01 Liberec, Czech Republic.  
michal.ackermann@tul.cz

<sup>3</sup> Department of Nanomaterials in Natural Sciences, Institute of Nanomaterials, Advanced Technologies and Innovation, Technical University of Liberec, Liberec, Czech Republic.  
vit.novotny@tul.cz

<sup>4</sup>The Czech Academy of Sciences, Institute of Rock Structure and Mechanics, V Holesovickach 94/41,  
182 09 Prague, Czech Republic. suchyt@irsm.cas.cz

\*Corresponding author:  
Horakova Jana  
Technical University of Liberec  
Faculty of Textile Engineering  
Department of Nonwovens and Nanofibrous Materials  
Studentska 2  
461 17 Liberec  
Czech Republic  
Phone: +420602356789  
Email: jana.horakova@tul.cz

Download English Version:

<https://daneshyari.com/en/article/7865514>

Download Persian Version:

<https://daneshyari.com/article/7865514>

[Daneshyari.com](https://daneshyari.com)