


Author's Accepted Manuscript

Rapid and accurate assessment of the activity measurements in Brazilian hospitals and clinics

A.E. de Oliveira, A. Iwahara, P.A.L. da Cruz, C.J. da Silva, E.B. de Araújo, J. Mengatti, R.L. da Silva, O.L. Trindade



www.elsevier.com/locate/apradiso

PII: S0969-8043(17)30359-7
DOI: <http://dx.doi.org/10.1016/j.apradiso.2017.07.065>
Reference: ARI8017

To appear in: *Applied Radiation and Isotopes*

Received date: 11 March 2017
Revised date: 13 July 2017
Accepted date: 31 July 2017

Cite this article as: A.E. de Oliveira, A. Iwahara, P.A.L. da Cruz, C.J. da Silva, E.B. de Araújo, J. Mengatti, R.L. da Silva and O.L. Trindade, Rapid and accurate assessment of the activity measurements in Brazilian hospitals and clinics, *Applied Radiation and Isotopes* <http://dx.doi.org/10.1016/j.apradiso.2017.07.065>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Rapid and accurate assessment of the activity measurements in Brazilian hospitals and clinics

A. E. de Oliveira^{(a)*}, A. Iwahara^(a), P. A. L. da Cruz^(a), C. J. da Silva^(a), E. B. de Araújo^(b), J. Mengatti^(b), R. L. da Silva^(a), O. L. Trindade^(a)

^aLaboratório Nacional de Metrologia das Radiações Ionizantes (LNMRI), Instituto de Radioproteção e Dosimetria (IRD), Comissão Nacional de Energia Nuclear (CNEN), Av. Salvador Allende, s/n - Barra da Tijuca, CEP - 22783-127. Rio de Janeiro - RJ - Brasil

^bCentro de Radiofarmácia (CERAF), Instituto de Pesquisas Energéticas e Nucleares (IPEN), Comissão Nacional de Energia Nuclear (CNEN), Caixa Postal 11049, CEP 05422-970 São Paulo, Brazil.

ABSTRACT

Traceability in Nuclear Medicine Service (NMS) measurements was checked by the Institute of Radioprotection and Dosimetry (IRD) through the Institute of Energy and Nuclear Research (IPEN). In 2016, IRD ran an intercomparison program and invited Brazilian NMS authorized to administer ¹³¹I to patients. Sources of ¹³¹I were distributed to 33 NMSs. Three other sources from the same solution were sent to IRD, after measurement at IPEN. These sources were calibrated in the IRD reference system. A correction factor of 1.013 was obtained. Ninety percent of the NMS comparisons results are within $\pm 10\%$ of the LNMRI value, the Brazilian legal requirement.

Corresponding author: aedu@ird.gov.br

Keywords: Traceability; intercomparisons; quality control; radionuclide calibrator; ¹³¹I; activity; nuclear medicine service

1. Introduction.

Nuclear medicine is critically dependent on the accurate, reproducible performance of radionuclide measurement in hospitals and clinics. This kind of measurement performed using a National Metrology Institute (NMI) as a reference can provide traceability to higher level of

Download English Version:

<https://daneshyari.com/en/article/8208650>

Download Persian Version:

<https://daneshyari.com/article/8208650>

[Daneshyari.com](https://daneshyari.com)