

Accepted Manuscript

Title: Incretins modulate progesterone biosynthesis by regulating bone morphogenetic protein activity in rat granulosa cells

Authors: Yuki Nishiyama, Toru Hasegawa, Shiho Fujita, Nahoko Iwata, Satoko Nagao, Takeshi Hosoya, Kenichi Inagaki, Jun Wada, Fumio Otsuka



PII: S0960-0760(17)30333-3
DOI: <https://doi.org/10.1016/j.jsbmb.2017.11.004>
Reference: SBMB 5067

To appear in: *Journal of Steroid Biochemistry & Molecular Biology*

Received date: 8-9-2017
Revised date: 13-10-2017
Accepted date: 8-11-2017

Please cite this article as: Yuki Nishiyama, Toru Hasegawa, Shiho Fujita, Nahoko Iwata, Satoko Nagao, Takeshi Hosoya, Kenichi Inagaki, Jun Wada, Fumio Otsuka, Incretins modulate progesterone biosynthesis by regulating bone morphogenetic protein activity in rat granulosa cells, *Journal of Steroid Biochemistry and Molecular Biology* <https://doi.org/10.1016/j.jsbmb.2017.11.004>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Original Article

Incretins modulate progesterone biosynthesis by regulating bone morphogenetic protein activity in rat granulosa cells.

Yuki Nishiyama¹, Toru Hasegawa², Shiho Fujita², Nahoko Iwata³, Satoko Nagao³, Takeshi Hosoya¹, Kenichi Inagaki¹, Jun Wada¹ and Fumio Otsuka³

Departments of ¹Medicine and Clinical Science, ²Obstetrics and Gynecology, and ³General Medicine, Okayama University Graduate School of Medicine, Dentistry and Pharmaceutical Sciences, 2-5-1 Shikata-cho, Kitaku, Okayama 700-8558, Japan

Running Title: Incretin action in ovarian steroidogenesis

Corresponding Author: Fumio Otsuka, M.D., Ph.D.

Department of General Medicine, Okayama University of Medicine, Dentistry and Pharmaceutical Sciences, 2-5-1 Shikata-cho, Kitaku, Okayama 700-8558, Japan. Phone: +81-86-235-7342, Fax: +81-86-235-7345

E-mail: fumiotsu@md.okayama-u.ac.jp

Disclosure Statement: The authors have nothing to disclose.AC, adenylate cyclase

ALK, activin receptor-like kinase

ActRII, activin type-II receptor

BMP, bone morphogenetic protein

BMPRII, BMP type-II receptor

FSH, follicle-stimulating hormone

FSHR, FSH receptor

GDF, growth and differentiation factor

GIP, glucose-dependent insulinotropic polypeptide

GLP-1, glucagon-like peptide-1

IGF-I, insulin-like growth factor-I

3 β HSD, 3 β -hydroxysteroid dehydrogenase

LH, luteinizing hormone

PCOS, polycystic ovary syndrome

P450arom, P450 aromatase

P450scc, P450 steroid side-chain cleavage enzyme

StAR, steroidogenic acute regulatory protein

TGF, transforming growth factor

Download English Version:

<https://daneshyari.com/en/article/8337834>

Download Persian Version:

<https://daneshyari.com/article/8337834>

[Daneshyari.com](https://daneshyari.com)