

## Accepted Manuscript

Title: The interactive influence of dietary nutrient density and feed form on the performance of broiler chickens

Authors: M.R. Abdollahi, F. Zaefarian, V. Ravindran, P.H. Selle



PII: S0377-8401(18)30084-1  
DOI: <https://doi.org/10.1016/j.anifeedsci.2018.03.005>  
Reference: ANIFEE 13959

To appear in: *Animal Feed Science and Technology*

Received date: 17-1-2018  
Revised date: 5-3-2018  
Accepted date: 12-3-2018

Please cite this article as: Abdollahi, M.R., Zaefarian, F., Ravindran, V., Selle, P.H., The interactive influence of dietary nutrient density and feed form on the performance of broiler chickens. *Animal Feed Science and Technology* <https://doi.org/10.1016/j.anifeedsci.2018.03.005>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## The interactive influence of dietary nutrient density and feed form on the performance of broiler chickens

M. R. Abdollahi<sup>a,\*</sup>, F. Zaefarian<sup>a</sup>, V. Ravindran<sup>a</sup>, P. H. Selle<sup>b</sup>

<sup>a</sup> *Monogastric Research Centre, School of Agriculture, Massey University, Private Bag 11 222, Palmerston North 4442, New Zealand*

<sup>b</sup> *Poultry Research Foundation within the University of Sydney, Camden, NSW 2570, Australia*

\* Corresponding author: Tel.: +64 6 9518255; fax: +64 6 350 5684.

E-mail address: [M.Abdollahi@massey.ac.nz](mailto:M.Abdollahi@massey.ac.nz) (M. R. Abdollahi).

### Highlights

- Pelleted diets outperform mash diets, regardless of dietary nutrient density.
- Magnitude of pelleting benefits to broiler performance depends on nutrient density.
- Responses to pelleting decreasing as dietary nutrient density increases.
- Nutrient density should always be considered to maximise the pelleting benefits.

### ABSTRACT

The present study investigates the interactions between dietary nutrient density and feed form on the growth performance, coefficient of apparent ileal digestibility (CAID) of dry matter

Download English Version:

<https://daneshyari.com/en/article/8490980>

Download Persian Version:

<https://daneshyari.com/article/8490980>

[Daneshyari.com](https://daneshyari.com)