

Accepted Manuscript

Title: Comparative effects of *Moringa oleifera* root bark and monensin supplementations on ruminal fermentation, nutrient digestibility and growth performance of growing lambs

Authors: Y.A. Soltan, N.M. Hashem, A.S. Morsy, K.M. El-Azrak, A. Nour El-Din, S.M. Sallam



PII: S0377-8401(17)31058-1
DOI: <https://doi.org/10.1016/j.anifeedsci.2017.11.021>
Reference: ANIFEE 13899

To appear in: *Animal Feed Science and Technology*

Received date: 20-8-2017
Revised date: 23-11-2017
Accepted date: 27-11-2017

Please cite this article as: Soltan, Y.A., Hashem, N.M., Morsy, A.S., El-Azrak, K.M., El-Din, A.Nour, Sallam, S.M., Comparative effects of *Moringa oleifera* root bark and monensin supplementations on ruminal fermentation, nutrient digestibility and growth performance of growing lambs. *Animal Feed Science and Technology* <https://doi.org/10.1016/j.anifeedsci.2017.11.021>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Comparative effects of *Moringa oleifera* root bark and monensin supplementations on ruminal fermentation, nutrient digestibility and growth performance of growing lambs

Y.A. Soltan^{a*}, N.M. Hashem^a, A.S. Morsy^b, K. M. El-Azrak^a, A. Nour El-Din^a, S.M. Sallam^a

^a*Alexandria University, Faculty of Agriculture, Animal and Fish Production Department, Alexandria, Egypt*

^b*City of Scientific Research and Technological Applications, Arid Lands Cultivation Research Institute, Livestock Research Department, New Borg El-Arab, Alexandria, Egypt*

* Corresponding author. Tel: +201203307920; Fax: +203-5922780

E-mail address: uosra_eng@yahoo.com (Y.A. Soltan)

Submitted to *Animal Feed Science and Technology* on 20 /August / 2017.

Highlights

- Moringa root bark (MRB) was compared with monensin as a ruminal fermentation modifier.
- Addition of MRB decreased *in vitro* methane production compared with the control and monensin.
- Dietary MRB enhanced the digestibility of the dietary fiber components compared to the control and monensin.
- Growth performance of lambs increased compared with the control, but was similar to monensin.

Abstract

Download English Version:

<https://daneshyari.com/en/article/8491067>

Download Persian Version:

<https://daneshyari.com/article/8491067>

[Daneshyari.com](https://daneshyari.com)