

Author's Accepted Manuscript

26-week oral chronic toxicity study of Geniposide in rats

Jingzhuo Tian, Yan Yi, Yong Zhao, Chunying Li, Yushi Zhang, Lianmei Wang, Chen Pan, Jiayin Han, Guiqin Li, Xiaolong Li, Jing Liu, Nuo Deng, Yue Gao, Aihua Liang



PII: S0378-8741(17)32954-9
DOI: <https://doi.org/10.1016/j.jep.2017.11.008>
Reference: JEP11099

To appear in: *Journal of Ethnopharmacology*

Received date: 8 August 2017
Revised date: 17 October 2017
Accepted date: 7 November 2017

Cite this article as: Jingzhuo Tian, Yan Yi, Yong Zhao, Chunying Li, Yushi Zhang, Lianmei Wang, Chen Pan, Jiayin Han, Guiqin Li, Xiaolong Li, Jing Liu, Nuo Deng, Yue Gao and Aihua Liang, 26-week oral chronic toxicity study of Geniposide in rats, *Journal of Ethnopharmacology*, <https://doi.org/10.1016/j.jep.2017.11.008>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

26-week oral chronic toxicity study of Geniposide in rats

Jingzhuo Tian^{1#}, Yan Yi^{1#}, Yong Zhao¹, Chunying Li¹, Yushi Zhang¹, Lianmei Wang¹,
Chen Pan¹, Jiayin Han¹, Guiqin Li¹, Xiaolong Li¹, Jing Liu¹, Nuo Deng¹, Yue Gao²,
Aihua Liang^{1*}

¹Institute of Chinese Materia Medica, China Academy of Chinese Medical Sciences,
Beijing 100700, China;

²Beijing Institute of Radiation Medicine, Beijing 100850, China.

*Corresponding author: Aihua Liang, Ph D. Institute of Chinese Materia Medica,
China Academy of Chinese Medical Sciences. No. 16 Nanxiaojie, Dongzhimen Nei
Ave, Beijing, 100700, China. Tel: 13901014419. Fax: 64013996. E-mail:
ahliang@icmm.ac.cn.

Authorship note: # Joint first authors

Abstract

Ethnopharmacological relevance

Geniposide, the major active constituent of *Fructus Gardeniae* (FG), has been widely used to treat the various diseases in China.

Aim of the study

The chronic toxicity study was conducted to investigate the safety of Geniposide.

Materials and Methods

Sprague-Dawley (SD) rats of both sexes were administered orally Geniposide 25, 50, 100 mg/kg by gavage once daily at volume of 10mL/kg for 26 weeks repeated.

Download English Version:

<https://daneshyari.com/en/article/8532628>

Download Persian Version:

<https://daneshyari.com/article/8532628>

[Daneshyari.com](https://daneshyari.com)