
Accepted Manuscript

Title: Long-Term Neurological and Neuropsychological Complications of Sulfur Mustard and Lewisite Mixture Poisoning in Chinese Victims Exposed to Chemical Warfare Agents Abandoned at the End of WWII



PII:	S0378-4274(18)30154-1
DOI:	https://doi.org/10.1016/j.toxlet.2018.04.017
Reference:	TOXLET 10165
To appear in:	Toxicology Letters
Received date:	14-9-2017
Revised date:	22-3-2018
Accepted date:	14-4-2018

Please cite this article as: Isono, O., Kituda, A., Fujii, M., Yoshinaka, T., Nakagawa, G., Suzuki, Y., Long-Term Neurological and Neuropsychological Complications of Sulfur Mustard and Lewisite Mixture Poisoning in Chinese Victims Exposed to Chemical Warfare Agents Abandoned at the End of WWII.Toxicology Letters https://doi.org/10.1016/j.toxlet.2018.04.017

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Long-Term Neurological and Neuropsychological Complications of Sulfur Mustard and Lewisite Mixture Poisoning in Chinese Victims Exposed to Chemical Warfare Agents Abandoned at the End of WWII

O.Isono,MD¹, A.Kituda,MD²,M.Fujii,MD³,T.Yoshinaka,MD⁴, G. Nakagawa,MD⁵,

Y. Suzuki, MD, PhD⁶

1. Department of Neurology and Rehabilitation Medicine, Kyoto Min-iren Daini Chuo Hospital, Kyoto, Japan

2. Department of Neurology and Rehabilitation Medicine, Higashi-Osaka Seikyo Hospital, Osaka, Japan

- 3. Department of Internal medicine, Shiba Clinic, Tokyo, Japan
- 4. Department of Cardiology, Kyoto Min-iren Chuo Hospital, Kyoto, Japan
- 5. Department of Pediatrics, Mimihara General Hospital, Osaka, Japan
- 6. Department of Neurology, Usioda General Hospital, Yokohama, Japan

Highlights

- 44 victims were poisoned by mixed compound of SM and Lewisite at a construction site in Qiqihar, China in August 2003.
- Extensive autonomic dysfunction and cognitive decline are significant adverse consequences in their health.
- These neurological and neuropsychological sequelae are most likely caused by the mixture of Lewisite and SM *per se* and not by stress.

Download English Version:

https://daneshyari.com/en/article/8553161

Download Persian Version:

https://daneshyari.com/article/8553161

Daneshyari.com